
DISCOUNT ON PILLS and GRANULES, 50 PER CENT.

CORRECTED TO OCTOBER 1st, 1887.

FOR LIST OF NEW PILLS SEE PAGES 21 and 22.

WILLIAM R. WARNER & CO.'S EPITOME.



PHILADELPHIA AND NEW YORK.

CONTENTS.



Addenda, Pills, etc21-22
Agents, Abridged List of,62-63
Aromatic Cachous,4th page of cover.
Compressed Tablets,57-58
" oval Bottles57
Discounts,64
Dosimetric Granules,
Elixir Salicylic Acid Comp.,
Flnid Extracts32-48
Granular Effervescing Salts,
Granules, Soluble Coated16-17
Hypodermic Tablets,
Ingluviu61
Liquid Pancreopepsine59
Parvules,
Pills and Granules, Soluble Coated,1-17
Wills Sur Arguniest margin content
Pills of Phosphorus and Combinations,11-12
Pills of Quinine,20
Pills, Gelatin Coated24-27
Perfnmes for the Haudkerchief,31
PiHs for Retailing30-56
Sachet Powders31
Shop Bottles, Warner's Special60

WARNER & CO.'S SUPERIOR

SOLUBLE COATED PILLS,

OFFICINAL,

AND FROM RECIPES OF

EMINENT MEDICAL PRACTITIONERS,

MANUFACTURED BY

WILLIAM R. WARNER & CO.,

PHILADELPHIA AND NEW YORK.

WARNER AND CO.'S Pills are unequalled in their medicinal qualities, as the best materials enter into their composition and the utmost care is used in their manufacture. An experience of twenty-eight years, with careful attention and study of this branch, enables us to achieve results otherwise unattainable.

We claim the art of Sugar-Coating, which, while remaining permanent, avoids drying the mass so hard as to render

it insoluble and inert.

Skilful preparation and the scientific method of manufacture, which we do not hesitate to call our own, are recognized in the acknowledged success attained. We wish particularly to state that our pills will produce the effects expected, and our desire is that Physicians shall be able to realize this in their practice; hence, to avoid inferior brands, we request that you will specify WARNER & CO.'S when ordering or prescribing.

The following list of Sugar-Coated Pills comprises a variety of combinations of great value. The CONVENIENCE OF THIS FORM of medicine, besides other advantages,

will, we trust, be fully appreciated.

The following prices for Pills are subject to the largest discount.

SOLUBLE COATED PILLS.	DOSE.	PR]	CE. 500's
ABERNETHY'S (Apericni)	I	\$ 75	\$3 50
ACID ARSENIOUS. 1-20, 1-30, 1-50 and 1-60 grs Med. prop.—Antiperiodic, Alterative.	1 to 2	40	1 75
ACONITIA. 1-60 gr	1 to 2	7 5	3 50
AGUE	2 to 4	75	3 50
ALOES, U. S. P	1 to 3	40	I 75
ALOES, COMPOUND (See Pil. Gentian Compound)	2 to 4	40	I 75
ALOES ET ASAFŒTIDA, U. S. P Med. prop.—Purgative, Antispasmodic.	2 to 5	40	1 75
ALOES ET FERRI, U. S. P	1 to 3	40	1 75
ALOES ET MASTICH, U. S. P. (Lady Webster) Med. prop.—Stimulating, Purgative.	1 to 2	50	2 25

g or proteining be detected to openly			
SOLUBLE COATED PILLS.	DOSE,	PR.	ICE.
ALOES ET MYRRHÆ, U. S. P	3 to 6	\$ 50	\$2 25
ALOES ET NUC. VOMICA	1 to 2	50	2 25
ALOIN, ½ gr	1 to 2	1 00	4 75
ALOIN ET STRYCHNIN	1 to 2	бо	2 75
Aloin, 1-5 gr. Strychnine, 1-60 gr.			
ALOIN ET STRYCHNIN. ET BELLA- DON	1 to 2	60	2 75
Aloin, 1–5 gr. Strychnine, 1–60 gr. Ext. Belladon., ½ gr.			
ALTERATIVE	1 to 2	50	2 25
Pulv. Ipecae, 1/6 gr. ALTERATIVE (Dr. C. C. Cox) Mcd. prop.—Alterative, with tendency to Mercurial Impression.	1 to 2	50	2 25
Mass. Hydrarg. 1 gr. Pulv. Rhei, 1 gr. Sodii Bicarb., 1 gr.			٠,
AMMON. BROMID. 1 gr	1	75	3 50
ANALEPTIC	1 to 4	60	2 75
Pv. Res. Guaiaci, i gr. Pv. Aloes Soc., ¾ gr. Pv. Myrrhæ, ½ gr.			
ANDERSON'S SCOTS	2 to 5	40	I 75
Pv. Saponis. Pv. Colocynth. Pv. Gamboge.			
ANODYNE Med. prop.—Anodyne.	1 to 2	75	3 50
Pv. Camphofæ, 1 gr. Morphiæ Acctat., 1-20 gr. Ext. Hyoscyami, 1 gr. Ol. Res. Capsici, 1-20 gr.			
ANTHET,MINTIC	1 to 2	1 00	4 75
ANTIBILIOUS (Vegetable) Med. prop.—Cholagogue Cathartic, Pv. Ext. Coloc. C., 2½ grs. Podoplyllin, ½ gr.	2 to 3	50	2 25
ANTICHILLMed. prop.—Antiperiodic, Applicable to obsti-	1 to 2	1 00	4 75
nate intermittents. Chinoidin, 1 gr. Ferri Ferrocyan., 1 gr. Ol. Pip. Nig., 1 gr. Ac. Arsenious, 1-20 gr.			
ANTICHLOROTIC	ı to 2	75	3 50
Potass, Chlor., 1 gr. Ferri Chlor., ½ gr. Pv. Podophylli, 1 gr. Pv. Myrrhæ, ½ gr.			
ANTICHOROMANIA	r to 2	75	3 50
Ext. Sumbul, ½ gr.	1	1	1

When ordering or prescribing be careful to specify	WARNE	R &	co 's
SOLUBLE COATED PILLS.	DOSE.	PR 100's	ICE.
ANTICONSTIPATION	1 to 4	\$ 75	\$3 50
Ext. Belladon., 7-10 gr. Ext. Hyoscyam., ¼ gr. ANTIDYSPEPTIC	1 to 2	100	4 75
Strychniæ, 1-40 gr. Ext. Belladonna, 1-10 gr. Pulv. Ipecac., 1-10 gr. Mass. Hydrarg., 2 grs. Ext. Col. Comp., 2 grs.			
ANTIMALARIAI Med. prop.—Antimalarial. Quinina Sul., 1 gr. Cinchonæ Sul., ½ gr. Ferri Sul. Exs., ¼ gr. Ac. Arsenious, 1-40 gr.	1 to 2	1 25	6 00
ANTIMALARIAL (Mc Caw)	1 to 2	1 50	7 25
ANTIMALARIAL (Philadelphia) Med. prop.—Antimalarial. Fetri Sulph., 1 gr. Pv. Capsici, ½ gr. Cinchonid. Sulph., 2 grs. Strychnine, 1–30 gr.	1 to 2	100	4 75
ANTIMONII COMP. U. S. P. (See Pil. Plummer)	1 to 3	40	1 75
ANTIPERIODIC	1 to 3	80	3 75
ANTIPERIODIC (one-half size) ANTISPASMODIC Med. prop.—Antispasmodic. Ext. Hyoscyami, ½ gr. Morphinæ Acetat., 1-10 gr. Biom. Camphor., ½ gr. Pv. Capsici, ½ gr.		45 7 5	3 50
ANTISPLENETIC. Med. prop.—Antisplenetic. Pv. Aloes Soc., 1 gr. Pv. Ammoniaci, ½ gr. Pv. Myrrh, ½ gr. Ext. Bryony, 1 gr.	2 to 4	60	2 75
APERIENT	1 to 2	85	4 00
APERIENT (Dr. Fordyce Barker)	1 to 2	1 00	4 75
APERIENT (Drysdale)	1 to 2	60	2 75
ARTHROSIA Med. prop.—Antilithic, Tonic, Alterative, Acid Salicylic. Ext. Colchicum. Ext. Phytolacca. Res. Podophyllin.	2 to 4	80	
Quinine. Pv. Capsicum.		1	1

SOLUBLE COATED PILLS.	DOSE.	PRI 100's	CE. 500's
ASAFŒTIDA, U. S. P	1 to 3	\$ 40	\$1 75
ASAFŒTIDA, 2 gr	2 to 4	40	1 75
ASAFŒTIDA, Comp	2 to 5	40	1 75
ASAFŒTIDA ET ALOES	2 to 5	40	I 75
ASAFŒTIDA ET RHEI Med. prop.—Tonic, Laxative, Nerve Stimulant. Asafœtida, 1 gr. Pulv. Rhei, 1 gr.	2 to 4	75	3 50
Ferri Red., 1 gr. ASTRINGENT	1 to 2	60	2 75
Pv. Opii, ¼ gr. Ol. Menth. Pip., 1-20 gtt. Ol. Res. Zingiber., 1-20 gtt.			
ATROPINA. 1-60 gr	1 to 2	7 5	3 50
ATROPINA. 1-100 gr	1 to 2	75	3 50
ATROPINÆ SULPH. 1-60 gr	1 to 2	7 5	3 50
BISMUTH SUBNIT. 3 grs	1 to 5	75	3 50
BISMUTH ET IGNATIA	1 to 2	1 50	7 25
Ext. Ignatia Amara, ¼ gr.			
Med. prop.—Sedative.	2 to 5	75	3 50
BISMUTH ET NUC, VOMICA Med. prop.—Sedative, Tonic. Bismuth Subcarb, 4 grs. Ext. Nuc. Vomicæ, ¼ gr.	1 10 2	1 50	7 25
BLENNORRHAGIC. (Warner & Co.) Terebinth alba, 1½ grs. Ext. Humuli, ½ gr. Camphor Monob., ½ gr.	1 to 2	1 00	
Res. Podophyl., 1/8 gr.			
CAFFEIN CITRAS. 1 gr	2 to 4	2 00	9 75
CALCIUM SULPHIDE. 1-10 gr	2 to 3	50	2 25
Med, prop.—Useful in Cutaneous Diseases,	2 to 3	7 5	3 50
CALCIUM SULPHIDE. ½ gr	1 to 2	1 00	4 75
Med. prop.—Useful in Cutaneous Diseases.	1 to 3	40	1 75
CALOMEL. ½ gr., 1, 2, and 3		50	2 25
CALOMEL ET OPIL	1	85	4 00
Med. prop.—Cathartic, Anodyne. Calomel, 2 grs. Opium, 1 gr.			
CALOMEL. ET RHEI	I to 3	75	3 50
Ext. Rhei, ½ gr. Ext. Coloc. C., ½ gr. Ext. Hyoscyami, 1-6 gr.			
CAMPHOR. ½ gr	1 to 2	40	1 75
CAMPHOB. 1 gr	1 to 2	50	2 25
CAMPHOR ET EXT. HYOSCYAMUS Med. prop.—Anodyne, Cerebral Stimulant. Camphor, 1 gr. Ext. Hyoscyami, Eng., 1 gr.	1 to 2	50	2 25
CAMPHOR, MONOBROMATED. 2 grs Med. prop.—Antispasmodic.	I to 2	1 50	7 25
CASCARA COMP	2 to 4	75	3 50
Ext. Cascara Sagrad., 3 grs. Res. Podophylli., ½ gr.			

CATHART. COMP., U. S. P		2007	777	
Med. prop.—Cathartic. CATHART. COMP., IMPROVED. 3 grs 2 to 4 50 Med. prop.—Cathartic. Med. prop.—Cathartic. Potophyllin, Leptandrin. Ext. Hyoscyani. Ext. Hyoscyani. Ext. Hyoscyani. Ext. Hyoscyani. Ext. Gentian. Ol. Menth. Pip. CATHART. COMP. VEGETABLE 2½ grs. Med. prop.—Cathartic. Med. prop.—Cathartic. Med. prop.—Cathartic. Med. prop.—Cathartic. Med. prop.—Cathartic. Res. Podophylli, ½ gr. Med. prop.—Cathartic. Res. Podophylli, ½ gr. Ext. Hyoscyanii, ½ gr. Ext. Hyoscyanii, ½ gr. Ext. Hyoscyanii, ½ gr. Ext. Nuc. Vom., 1-16 gr 1 to 3 1 00 4 75 Med. prop.—Emmenagogue. CERII OXALAT. 1 gr 1 to 3 1 00 4 75 Med. prop.—Emmenagogue. CERII OXALAT. 2 grs 1 to 5 60 Med. prop.—Stimulating Laxative. Potassa Carb. 1½ gr. CHALYBEATE. 3 grs 1 to 3 60 2 75 Med. prop.—Stimulating Laxative. Potassa Carb. 1½ gr. CHAPMAN'S DINNER. 1 to 3 60 2 75 Med. prop.—Tonic, Antiperiodic. CHINOIDIN. 2 grs 2 to 4 50 2 25 Med. prop.—Tonic, Antiperiodic. CHINOIDIN. 2 grs 2 to 4 50 2 25 Med. prop.—Tonic, Antiperiodic. CHINOIDIN COMP. 1 to 2 75 3 50 Med. prop.—Tonic, Antiperiodic. CHINOIDIN. Sulph., ½ gr. Potandinii. ½ gr. Potandi	SOLUBLE COATED PILLS.	DOSE.	100'S	10E, 500's
Med. prop.—Cathartic. Ext. Coloc. Comp. Ext. Jalap. Podophyllip. Leptandrin. Ext. Horizon. Di. Menth. Pip. CATHART. COMP. VEGETABLE 2½ grs. 2 to 3 50 2 25 Med. prop.—Cathartic. Podophyllin, Scammony. Ext. Colocynth. Aloes, Soap, and Cardamom. CATHART. COMP. CHOLAGOGUE	CATHART. COMP., U. S. P	2 to 4	\$ 50	\$2 25
Podophyllin, Leptandrin, Ext. Hyoscyanii. Ext. Hyoscyanii. Ext. Gentian. O. Menth. Pip.	Med. prop.—Cathartic. Ext. Coloc. Comp.	2 to 4	50	2 25
CATHART. COMP. VEGETABLE 2½ grs. Med. prop.—Cathartic. Podophyllin, Scammony. Ext. Colocynth. Aloes, Soop, and Cardamom. CATHART. COMP. CHOLAGOGUE	Podophyllin, Leptandrin. Ext. Hyoscyami. Ext. Gentian.			
CATHART. COMP. CHOLAGOGUE	CATHART. COMP. VEGETABLE 2½ grs. Med. prop.—Cathartic. Podophyllin, Scammony. Ext. Colocynth.	2 to 3	50	2 25
Pil. Hydrarg., ½ gr.	CATHART. COMP. CHOLAGOGUE Med. prop. —Cathartic. Per Pedenbulli 1/ cr	2 to 4	60	2 75
CAULOPHYLLIN, 1-10 gr	Pil. Hydrarg., ½ gr. Pil. Hydrarg., ½ gr. Ext. Hyoscyami, ½ gr. Ext. Nuc. Vom., 1-16 gr. Ol. Res. Capsici, ½ gt.			
Med. prop.—Antichlorotic. Ferri Sulph., 1½ gr. Potasa Carb., 1½ gr. CHAPMAN'S DINNER	CAULOPHYLLIN, 1-10 gr		40	1 7 5
Med. prop.—Antichlorotic. Ferri Sulph., 1/½ gr. Potassa Carb., 1/½ gr. Med. prop.—Stimulating Laxative. Prilv. Aloes Soc. Pulv. Rhei. Gum Mastich. Prilv. Aloes Soc. Pulv. Rhei. Gum Mastich. Pulv. Rhei. Gum Mastich. Pulv. Rhei. Gum Mastich. Pulv. Rhei. Pulv. Rhei	CERII OXALAT. 1 gr	I to 3	1 00	4 75
Pulv. Rhei. Gum Mastich. Gum Mastich. CHINOIDIN. 1 gr	Med. prop.—Antichlorotic. Ferri Sulph., 1½ gr.	1 to 5	60	
CHINOIDIN. 2 grs	CHAPMAN'S DINNER Med. prop.—Stimulating Laxative. Puly, Aloes Soc.	1 to 3	60	2 75
CHINOIDIN COMP	CHINOIDIN. 1 gr	2 to 4	47	I 75
Med. prop.—Tonic, Antiperiodic. Chinoidin, 2 grs. Ferri Sulph. Exsic., 1 gr. Piperina, ½ gr. CHOLAGOGUE (Dr. Blackwood)	CHINOIDIN. 2 grs	2 to 4	50	2 25
Euonymin, ½ gr. Leptandrin, ½ gr. Lidin, ½ gr. Juglandin, ½ gr. Podophyllin, ½ gr. Ext. Belladon, ½ gr. Ext. Buc. Vom., ½ gr. Ext. Hyoscyam., ½ gr. Ext. Hyoscyam., ½ gr. CIMICIFUGIN. 1-10 gr	Med. prop.—Tonic, Antiperiodic. Chinoidin, 2 grs. Ferri Sulph. Exsic., 1 gr.	1 10 2	75	3 50
Podophylini, ½ gr. Ext. Belladon., ½ gr. Ext. Nuc. Vonu., ½ gr. Ext. Nuc. Vonu., ½ gr. Ext. Hyoscyam., ½ gr. CIMICIFUGIN. 1-10 gr	Euonymin, ½ gr. Leptandrin, ½ gr.	I ⁴ U 2	1 00	4 75
CIMICIFUGIN. 1-10 gr	Fodophylin, ½ gr. Ext. Belladon., ½ gr. Ext. Nuc. Vom., ½ gr.			
(Salicylic Acid Comp.) Med. prop.—Tonic, Antiperiodic. Cinchonid, Sulph. 2 grs. Ac. Salicylic, 1 gr. Pv. Opii. ½ gr. Pv. Opii. ½ gr. CINCHONINÆ SULPH. 1½ gr. Med. prop.—Tonic, Antiperiodic. CINCHONINÆ: SULPH. 2 grs	CIMICIFUGIN, 1-10 gr	1 to 4	40	1 75
Pv. Opii. ½ gr. Ol. Res. Capsici. ½ gr. CINCHONINÆ SULPH. 1½ gr	(Salicyhe Acid Comp.) Med. prop.—Tonic, Antiperiodic. Cinchonid, Sulph. 2 grs.	1 to 2	1 50	7 25
CINCHONINÆ SULPH. 2 grs	Pv. Opii. ½ gr. Ol. Res. Capsici. ¼ gr. CINCHONINÆ SULPH. 1½ gr	ı to 3	75	3 50
Med. prop.—Antirheumatic. CINOHONIDIN. SULPH. 1 gr	CINCHONINÆ SULPH. 2 grs	1 to 3	75	3 50
Med. prop.—Antimalarial, Antiperiodic. CINCHONIDIN. SULPH. 2 grs	CINCHONIDIN. SALICYLATE. 2½ grs Med. prop.—Antirheumatic.	1 to 2	1 50	7 25
Med. prop.—Antimalarial, Antiperiodic.	CINCHONIDIN. SULPH. 1 gr	ı to 3	*40	1 75
CINCHONIDIN. SULPH. 3 grs 1 to 2 60 2 75	CINCHONIDIN. SULPH. 2 grs	I to 3	45	2 00
	CINCHONIDIN, SULPH. 3 grs	1 to 2	60	2 75

when ordering or prescribing be careful to specify			- •
SOLUBLE COATED PILLS.	DOSE.		ICE. 500's
CINCHONIDIN SULPH. 5 grs	1 to 2	\$1 00	2 4 75
CINCHO-QUININE. 1 gr	1 to 3	1 00	4 7 5
CINCHO-QUININE. 2 grs	1 to 2	1 90	9 25
Med. prop.—Hydragogue Cathartic. Pulv. Res. Scammony, 1 gr.	2 to 4	90	4 25
Pulv. Res. Scammony, 1 gr. Pulv. Res. Scammony, 1 gr. Pulv. Soc. Aloes, 1½ gr. Pulv. Colocynth, ½ gr. Potuss. Sulph., ½ gr. Ol. Carophyl., ½ gtt.			
CODEIN. 1/2 gr Med. prop.—Anodyne, replacing morphia without the usual disagreeable after-effects produced by	2 10 4	1 25	6 00
the latter. COLOCYNTH, ET HYDRARG, ET IPE-			
CAC	1 to 3	75	3 50
COLOCYNTH. ET HYOSCYAMUS Med. prop.—Gentle Laxative, Ext. Coloc. C., 2½ gr. Ext. Hyoscyami, 1½ gr.	1 to 2	75	3 50
COLOCYNTHIDIS COMP, 3 grs	2 to 5	80	3 75
COOK'S 3 GRS	2 to 4	50	2 25
Med. prop.—Purgative. Pulv. Aloes Soc., 1 gr. Pulv. Rhei, 1 gr. Calonuel, 1/2 gr. Sapon. Hispan., 1/2 gr.			
COPAIBAMed. prop.—Alterative to Mucous Membrane.	2 to 6	50	2 25
COPAIBÆ COMP	2 to 4	80	3 75
Pil. Copaib. Resin. Guaiac. Ferri Cit. Oleo-Resin. Cubeb.			
COPAIBA ET EXT. CUBEBA	2 to 4	80	3 75
CORROSIVE SUBLIMATE. 1-12, 1-20, and 1-40 gr	1 to 2	40	1 75
DAMIANA CUM PHOSPH. ET NUC. VOM	I to 2	1 50	
Ext. Damianæ, 2 grs. Phosphorus, 1-100 gr. Ext. Nuc. Vom., ½ gr.			
DIAPHORETICMed. prop.—Diaphoretic. Morphiæ Acet., 1–25 gr.	1 to 2	75	3 50
Morphiæ Acet., 1–25 gr. Pv. lpecac., ¼ gr. Pv. Potass. Nit, 1 gr. Pv. Camphoræ, ¼ gr.			
DIGESTIVA	1 to 2	75	
Pv. Nuc. Vom., 1/2 gr. Gingerine, 1-16 gr. Sulphur, 1/2 gr.			
DIGITALIN. (Alkaloid) 1-60 gr	1 to 2	75	3 50
DIGITALIS COMP	1 to 3	50	2 25
Pulv. Scillæ, 1 gr. Potass. Nit., 2 grs.		1	

SOLUBLE COATED PILLS.	DOSE.	1	ICE,
			1
DIURETIC Med. prop.— Diuretic, Amacid. Sapon. Hispan. Pulv , 2 grs. Sodii Carb. Exsic., 2 grs. Ol. Baccæ Junip., 1 gtt.	1 to 3	\$ 50	\$2 25
DUPUYTREN	r	50	2 25
FCCOPROTIC Med. prop.—Mild Cathartic. Ext. Aloes Soc., 2 grs. Ext. Nuc. Vomica, 1-5 gr. Res. Podophylli, 3-10 gr. Ol. Caryophylli, 1-10 gtt.	2 to 4	60	2 75
	1 to 2	95	4 50
ELATERIUM (Clotterbuck's). 1-10 gr	I to 3	1 25	6 00
Med. prop.—Active Emmenagogue, Tonic. Ergotin, 1 gr. Ert. Hellebor. Nig., 1 gr. Alocs, 1 gr. Ferri Sul. Exs., 1 gr. Ol. Sabinæ, ½ gr.	1103	1 23	
EMMENAGOGUE (Mutter)	1 to 3	40	1 75
ERGOTIN. 1 gr	1 to 4	1 00	4 75
ERGOTIN. 3 grs	1 to 2	1 50	7 25
ERGOTIN COMP. (Dr. Reeves)	I	1 75	8 50
EXTRACT BELLADONNA (Eng.). ¼ gr Med. prop.—Anodyne.	1 to 3	40	1 75
EXT. CANNABIS INDICA. (Eng.) 1/4 gr Mcd. prop.—Anodyne.	1 to 4	60	2 75
EXTRACT GUARANA. 3 grs	1 to 3	2 00	9 75
EXTRACT HYOSCYAMUS (Eng.). ½ gr Med. prop.—Nerve Stimulant.	1 to 3	40	1 75
EXTRACT IGNATIA AMARA. ¼ gr Med. prop.—Nerve Sedative.	1 to 2	50	2 25
EXTRACT NUC. VOMICA. ¼ and ½ gr Med. prop.—Nerve Stimulant.	1 to 3	40	1 75
FEL BOVINUM	I to 3	50	2 25
FERRI CARB. (Vallet's), U. S. P. 3 grs	1 to 4	40	1 75
FERRI CITRAS. (U. S. P.) 2 grs	1 10 3	50	2 25
FERRI COMP., U. S. P	2 to 6	40	1 75
FERRI DIALYSATI, 2 grs	ı	1 25	6 00
FERRI ET QUAS. ET NUC. VOM	1 to 2	75	3 50
FERRI ET STRYCHNIN. Med. prop.—Tonic, Nerve Stimulant. Strychniæ, 1-60 gr. Ferrum per Hydrog. (Quevenne's), 2 grs.	1 to 2	75	3 50

SOLUBLE COATED PILLS.	DOSE.	PR]	CE,
FERRI ET STRYCHNIN. CIT	1 to 2	\$ 75	\$3 50
FERRI IODID. (U. S. P.) 1 gr	1 to 2	80	
FERRI LACTAT. 1 gr		50	2 25
FERRI PYROPHOS. 1 gr		40	I 75
FERRI SULPH. EXS. 2 grs	2 to 4	40	I 75
FERRI VALER. 1 gr	I to 2	1 00	4 75
FERRUM (Quevenne's). 1 gr	1 to 3	50	2 25
FERRUM (Quevenne's). 2 grs	1 to 2	75	3 50
GALBANI COMP. Med. prop.—Antispasmodic. Galbani, 1½ gr. Pv. Myrrh, ½ gr. Assafœt., ½ gr.	2 to 4	50	2 25
	2 to 5	40	I 75
GAMBOGIÆ COMP	2 60 3	40	- 73
GELSEMIN. 1-16 gr		40	I 75
GELSEMIN. 1/8 gr		50	2 25
Med prop.—Arterial Sedative.		7 5	3 50
GENTIAN COMP	2 to 4	40	I 75
GONORRHEA	1 to 3	60	2 75
Pulv. Cubebæ, 2 grs. Bals. Copaib., Solid, 1 gr. Ferri Sulph., ½ gr. Venet. Terebiuth., 1½ gr.			
HEIM'S (Niemeyer)	ı	1 25	6 00
Quinina Sulph., 1 gr. Pulv. Digital. Fol., ½ gr. Pulv. lpecac., ½ gr. Pulv. Opii, ½ gr.	٠		
HELONIN, 1-10 gr	I to 4	50	2 25
HEPATICA	I to 2	80	3 75
Ext. Coloc. Comp., 1 gr. Ext. Hyoscyami, 1 gr.			
HOOPER'S (Female Pills). 2½ grs	1 to 3	40	I 75
HYDRARG. 5 grs	1 to 2	50	2 25
HXDRARGYRI, U. S. P. 3 grs	2 to 3	40	1 75
HYDRARG. BIN IODIDE. 1-16 gr	I to 3	40	x 75
HYDRARG, PROT IODIDE. 1/2 gr	2 to 4	40	I 75

The state of the s			
SOLUBLE COATED PILLS.	DOSE.	PR. 100's	ICE.
HYDRARG. PROT IODIDE. 1-5 gr	1 to 4	40	I 75
HYDRARG, PROT IODIDE. 1/4 gr	1 to 4	40	1 75
HYDRARG. PROT IODIDE. ½ gr	I to 2	50	2 25
HYDRARGYRI COMP	I to 2	7 5	3 50
HYDRARGYRI IOD, ET OPII (Ricord's) Med. prop.—Mercurial Alterative Hydrarg, Iodid., 1 gr. Pulv. Opii, ½ gr.	1 to 2.	75	·3 50
HYDRASTIN. ½ gr	I to 2	95	4 50
HYOSCYAMI.Æ. 1-100 gr(Crystals Pure Alkaloid.) Med. prop.—Anodyne, Soporific.	1	3 ∞	14 75
IODOFORM, 1 gr	I to 2	1 00	4 75
IODOFORM ET FERRI. Med. prop.—Tonic, Alterative. Jodoform, 1 gr. Ferri, 1½ gr.	I to 2	1 50	
IODOFORM ET FERRI ET NUC. VOM. Med. prop.—Tonic, Alterative. Iodoform, s gr, Ferri Red. i gr. Ext. Nuc. Vom. ¼ gr.	1 to 2	1 50	
1.xt. 1410. vont. /4 81.			
Med. prop.—Alterative. Med. prop.—Alterative. Jodoform, ½ gr. Mercury Proto. Iodid. ½ gr.	1 to 3	1 50	
IODOFORM ET NUC. VOMICA COMP, Med. prop.—Alterative, Tonic, Laxative, Repellant.	1 to 3	1 50	
lodoform, ½ gr. Ext. Nnc. Vom., ½ gr. Podophyllin, 1-16 gr. Ext. Belladon., ½ gr.	The state of the s		
IODOFORM ET QUININE	I to 3	1 25	
IODOFORM ET QUININA ET FERRI. Med. prop.—Tonic, Alterative. Iodoform, 1 gr. Ferri Carb. (Vallet's), 2 grs. Quininæ Sul., ½ gr.	1 to 2	¥ 75	8 50
IPECAC. ET OPII. 3½ grs. (Pulv. Ipecac. Comp., U. S. P.)	1 to 3	50	2 25
IPECAC. ET OPII. 5 grs	1 to 2	65	3 00
IRISIN COMP	1 to 2	50	2 25
LAXATIVE	1 to 2	60	2 75
Sulphur, 1-5 gr. Res. Podophylli, 1-5 gr. Res. Gnuiaci, ½ gr. Syr. Rhamni, q. s.			
	l.	1	

THIS OF DESCRIPTING OF THE PROPERTY.			
SOLUBLE COATED PILLS.	DOSE.	PRI 100's	CE, 500's
LEPTAND. COMP	I to 2	\$ 1 00	\$4 75
LEPTANDRIN. ¼ gr	1 to 4	40	1 75
LEPTANDRIN. ½ gr		50	2 25
LEPTANDRIN. 1 gr		75	3 50
LUPULIN. 3 grs		40	1 75
MORPHINÆ ACET. 1/8 gr Med. prop.—Anodync.		70	3 25
MORPHINÆ COMP. Med. prop.—Anodyne, Febrifuge. Morph. Sulph., ¼ gr. Tart. Emetic, ¼ gr. Calomel, ¼ gr.	I	1 25	6 ∞
MORPHINÆ SULPH, 1-20 gr		40	1 75
MORPHINÆ SULPH, 1-10 gr		50	2 25
MORPHINÆ SULPH. ½ gr		60	2 75
MORPHINÆ SULPH. 1/6 gr		70	3 25
MORPHINÆ SULFÆ. ¼ gr	1 to 2	90	4 25
MORPHINÆ SULPH. ½ gr	ı	I 50	7 25
MORPHINÆ VALERIANAS. ¼ gr Med. prop.—Anodyne.	1 to 2	90	4 25
NEURAL GIC(Gross.)	. r to ŋ	2 50	12 25
NEURALGIC, (Gross) one half size,		1 50	7 25
NEURALGIC (Without Morphia)	r to 3	2 50	12 25
NEURALGIC (Brown-Séquard)	- 1	2 00	9 75
OPII ET CAMPHORMed. prop.—Anodyne, Nerve Sedative. Pulv. Opii, 1 gr. Camphoræ, 2 grs.		60	2 75
OPII ET CAMPHOR ET TANNIN Med. prop.—Anodyne, Astringent. Pulv. Opil, ½ gr. Camphoræ, 1 gr. Acid Tannic, 2 grs.	1 to 3	60	2 75
OPII ET PLUMBI ACETAS Med. prop.—Anodyne, Sedative. Pulv. Opii, ½ gr. Plumbi Acet., 1½ gr.	1 to 2	50	2 25
OPII, U. S. P. 1 gr	1	50	2 25
CPIUM, PURIFIED. ½ gr	I to 2	50	2 25

when ordering or prescribing be careful to specify	VVARNE	.r. a. '	
SOLUBLE COATED PILLS.	DOSE.	PRI	CE, 500's
PHOSPHORI. 1-100 gr., 1-50 gr., 1-25 gr., in each	I	\$1 00	
PHOSPHORI COMP	I	1 25	
PHOSPHORI CUM ALOE ET NUC. VOMICA Med, prop.—Useful in the atonic form of Dyspepsia and Neurosis of the Stomach. Phosphori, 1-50 gr. Ext. Aloes Aq., ½ gr. Ext. Nuc. Vom., ½ gr.	I	1 50	
PHOSPHORI CUM BELLADONNA Med. prop.—Useful in Anæmic Conditions and Neuralgia. Phosphori, 1-100 gr. Ext. Belladonna, 1/4 gr.	1 to 2*	1 50	
PHOSPHORI CUM CANNAB INDICA Med. prop.—Narcotic, Aphrodisiac. Phosphori, 1-50 gr. Ext. Cannab. Ind., ½ gr.	1 to 2	1 75	
PHOSPHORI CUM CANTHARIDE CO, Med. prop.—Stimulating Emmenagogue and Diu- retic	1 to 2	1 50	
Phosphori, 1-50 gr. Pv. Nuc. Vom., 1 gr. Sol. Cantharidis Con., 1 m. PHOSPHORI CUM DIGITAL. CO Med. prop.—Valuable as a Heart Tonic. Phosphori, 1-50 gr. Pv. Digitalis, 1 gr. Ext. Hyoscy., 1 gr.	Ι	1 50	
PHOSPHORI CUM DIGITALE ET FERRO Med. propValuable as a Heart Tonic. Phosphori, 1-50 gr. Pv. Digitalis, 1 gr. Ferri Red., 1 gr.	Ι	1 50	
PHOSPHORI CUM, EXT. ACONITI Med. prop.—Useful in the Treatment of Phthisis with Pyrexia. Phosphori, 1-50 gr.	x	1 50	
Ext. Aconiti, 1-16 gr. PHOSPHORI CUM FERRO Med. prop.—A Powerful Nervine Tonic and Blood Restorer. Phosphori, 1-50 gr. Ferri Red., 1 gr.	1 to 2	1 25	
PHOS. CUM FERRO COMP. (Warner's) Mcd. prop.—Nutritive, Tonic and Stimulant to the Nervous System. Phosphorus, 1-50 gr. Strychnia, 1-60 gr. Reduced Iron, 1½ gr.	I	1 50	
PHOSPHORI CUM FERRO ET NUC. VOM Med. prop.—Nerve Stimulant, Tonic. Phosphori, 1-100 gr. Ferri Carb., 1 gr. Ext. Nuc. Von., 1/4 gr.	1 to 2	1 25	
PHOSPHORI CUM FERRO ET QUI- NINA	1 to 2	z 60	
PHOSPHORI CUM FERRO ET QUI- NINA ET NUC. VOM	1 to 2	x 60	
PHOSPHORI CUM FERRO ET STRYCHNINA Med. prop.—Nerve Tonic and Stimulant. Phosphori, 1-100 gr. Ferri Carb., 1 gr. Strychnize, 1-60 gr.	1 to 2	1 50	
507,7		1	

SOLUBLE COATED PILLS.	DOSE,	PRI	CE.
		100'S	500's
PHOSPHORI CUM MORPHINA ET ZINGO VALER	I	\$2 00	
PHOSPHORI CUM NUC. VOMICA Med. prop.—Nerve Tonic and Stimulant. Phosphori, 1-50 gr. Ext. Nuc. Vom., 1/8 gr.	1 to 2	1 25	
PHOSPHORI CUM OPIO ET DIGITAL Med. prop.—Useful in Arresting Abnormal Calorification. Phosphori, 1-50 gr. Pv. Digitalis, ½ gr. Pv. Ipecac., ½ gr. Pv. Opii, ½ gr.	1 to 2	1 50	
PHOSPHORI CUM QUININA Med. prop.—Nerve Tonic. Phosphori, 1-50 gr.	1 to 2	1 80	
Quininæ Sul., 1 gr. PHOSPHORI CUM QUININÆ CO Med. prop.—Nerve Tonic. R. Phosphori, 1-50 gr. Ferri Red., 1 gr.	I	т 35	
Quininæ Sil., ½ gr. Strychniæ, 1-60 gr. PHOSPHORI CUM QUININA ET FER- RO ET STRYCHNINA. Med. prop.—Powerful Nerve Stimulant. Phosphori, 1-100 gr. Quininæ Sill., 1 gr. Ferri Carb., 1 gr. Strychniæ, 1-60 gr.	Ι	1 60	
PHOSPHORI CUM QUININA ET DIGITALE CO	1 to 2	1 35	
Pv. lpecaci, ¼ gr. PHOSPHORI CUM QUININA ET NUC. VOM	1 to 2	1 60	
PHOSPHORI CUM STRYCHNINA Med. prop.—Nerve Tonic and Stimulant. Phosphori, 1-50 gr. Strychnize, 1-60 gr.	1	1 25	
PHOSPHORI CUM ZINCO CO,	1 to 2	1 50	
PHOSPHORI ET DAMIANA CUM NUC. VOM Med. prop.—Aphrodisiac. Ext. Damianæ, 2 grs. Phosphori, 1-100 gr. Ext. Nuc. Vom., ½ gr.	1 to 2	1 50	
PODOPHYLLI (Dr. E. R. Squibb) Res. Podophylli, ¼ gr. Capsicum, ½ gr. Ext. Belladon., ½ gr.	1 to 2	75	3 50
PODOPHYLLIN. 1-10 gr	1 to 4	40	1 75
PODOPHYLLIN, ¼ gr	1 to 4	40	1 7 5
PODOPHYLLIN. ½ gr	I to 2	50	2 25
PODOPHYLLIN. 1 gr	1	75	3 50

When ordering of prescribing be careful to specify	1		
SOLUBLE COATED PILLS.	DOSE.	PR 100's	ICE.
PODOPHYLLIN COMP	1 to 2	\$ 75	\$3 50
PODOPHYLLIN COMP. (Eclectic)	2 to 4	75	3 50
PODOPHYLLIN ET BELLAD	1 to 3	75	3 50
PODOPHYLLIN ET HYDRARG	2 to 4	50	2 25
PODOPHYLLIN ET HYOSCYAMUS Med. prop.—Gentle Carthartic. Podophyllin, ½ gr. Ext. Hyoscyami, ½ gr.	1 to 2	60	2 75
PODOPHYLLOTOXIN, 1/2 gr Med. prop.—Cathartic, without the nausea induced by Podophyllin.	1 to 2	50	2 25
PODOPHYLLOTOXIN, ¼ gr	1 to 2	75	3 50
POST-PARTUM (Dr. Fordyce Barker) Ext. Coloc. Comp., 1½ gr. Ext. Nuc. Vom., ½ gr. Hydrarg. Chlor. Mit., 1½ gr. Pulv. Aloes, ½ gr. Ext. Hyoscyami, ½ gr. Pulv. Ipecac., ½ gr.	X	1 00	4 75
POTASS. BROMID. 5 grs	1 to 2	1 25	6 00
POTASS. IODID. 2 grs(Merc's)	1 to 3	85	4 00
PRANDII. Med. prop.—Stimulating Purgative. Ext. Aloes Aq., 1 gr. Ext. Gentianæ, 2 grs. Ext. Anthem., 1 gr. Pv. Capsici, ½ gr.	1 to 2	75	3 50
QUININÆ BISULPH. ½ gr	1 to 4	45	2 00
QUININÆ BISULPH, 1 gr	1 to 3	60	2 75
QUININÆ BISULPH. 2 grs	1 to 3	1 00	4 75
QUININÆ BISULPH. 3 grs	1 to 2	1 45	7 00
QUININÆ BISULPH. 5 grs	1 to 2	2 35	11 50
QUININÆ COMP Med. prop.—Tonic, Antiperiodic. Quin. Sulph., 1 gr. Ferri Carb. (Vallet's), 2 grs. Acid Arsenious, 1-60 gr.	1 to 2	1 00	4 75
QUININA CUM CAPSICUM	1 to 3	100	4 75
QUININA ET EXT. BELLADON	1 to 2	1 00	4 75
QUININA ET FERRI	1 to 2	1 00	4 75

Trigit ordering or prescribing be caleful to specify			
SOLUBLE COATED PILLS.	DOSE.	PR. 100's	IOE, 500's
QUININA ET FERRI CARB	I to 2	\$1 00	\$4 75
QUININA ET FERRI CIT. 1 gr	1 to 2	55	2 50
QUININA ET FERRI CIT. 2 grs	1 to 2	90	4 25
QUININA ET FERRI ET STRYCH- NINE	1 to 2	1 00	4 75
Med. prop.—Tonic, Antiperiodic. Quin. Sulph., 1 gr. Ferri Carb. (Vallet's), 2 grs. Strych. Sulph., 1-60 gr.			
QUININA ET FERRI ET STRYCH. PHOS. Med. prop.—Tonic, Antiperiodic. Quining Phos., 1 gr.	1 to 2	1 25	6 00
Quinime Phos., 1 gr. Ferri Phos., 1 gr. Strychnine Phos., 1-60 gr. QUININA ET FERRI VALER. 2 grs			
Med. prop.—Tonic, Nerve Sedative.	1 to 2	2 00	9 75
QUININA ET HYDRARG. Med. prop.—Tonic, Antiperiodic. Quin. Sulph., 1 gr. Mass. Hydrarg., 2 grs. Oleo-Resin. Piper. Nig., 1/4 gr.	1 to 2	1 25	6 00
QUININA ET IODOFORM ET FERRI	1 to 2	1 75	8 50
Iodoform, 1 gr. Ferri Carb. (Vallet's), 2 grs. Quininæ Sul., ½ gr.			
QUININA ET STRYCHNIA Med. prop.—Tonic, Nerve Stimulant. Qunina Sul., 1 gr. Strychniæ, 1-60 gr.	1 to 2	1 00	4 75
QUININA ET STRYCHNIÆ COMP, Med. prop.—Tonic, Alterative. Quininæ Sulph., 1 gr. Ferrum per Hyd., 1½ gr.	I	1 25	6 00
Strychniæ, 1-20 gr. Arsenious Ac., 1-20 gr.			
QUININÆ SULPH. ½ gr	1 to 4	45	2 00
QUININÆ SULPH. 1 gr	1 to 3	60	2 75
QUININÆ SULPH. 2 grs	I to 3	1 00	4 75
QUININÆ SULPH. 3 grs	1 to 2	I 45	7 00
QUININÆ SULPH. 5 grs	I to 2	2 35	11 50
QUININÆ VALERIANAS. ½ gr	1 to 2	1 45	7 00
QUINIDINÆ SULPH. 1 gr	I to 3	1 15	5 50
QUINIDINÆ SULPH. 2 grs	1 to 3	2 15	10 50
QUINIDINÆ SULPH. 3 grs	1 to 2	3 25	16 00
RHEI COMP., U. S. P. Med. prop.—Purgative. Pulv. Rhei, 2 grs.	2 to 4	75	3 50
Purified Aloes, 1½ gr. Myrrh, 1 gr. Ol. Menth. Pip., 1-10 gr.			
RHEI ET HYDRARG. 4 grs	2 to 5	80	3 75
Mass. Hydrarg. Sodii Carb., Exs.			

When ordering or prescribing, please specify WARNER & CO.'S.

SOLUBLE COATED PILLS.	DOSE.	1	CE.
•		100's	500's
Med. prop.—Gentle Laxative. Pulv. Rhei, 3 grs.—Pulv. Saponis, 1 gr.	1 to 5	\$ 7 5	\$3 50
RHEUMATIC	1 to 3	90	4 25
Ext. Coloc. C., 1½ gr. Ext. Colchici Acet., 1 gr. Ext. Hyoscyami, ½ gr. Hydrarg. Chlor. Mit., ½ gr.			
Hydrarg. Chlor. Mit., ½ gr. SALICYLIC ACID. 2½ grs	1 to 2	75	3 50
Med. prop.—Antirheumatic. SALICYLIC ACID. 5 grs	1 to 2	1 30	6 25
Med. prop.—Antirheumatic, SALICYLIC ACID COMP.—(See Cinchoni. Co.)			
SANTONIN. 1 gr		1 00	4 75
SCILLÆ COMP., U. S. P	1 to 3	50	2 25
Gum Ammoniac, 1 gr.		- 4	
Pulv. Saponis, 1½ gr. SEDATIVE	1 to 2	75	3 50
Med. prop.—Sedative. Ext. Sumbul, ½ gr. Ext. Valerianæ, ½ gr.			
Ext. Valerianæ, ½ gr. Ext. Hyoscyami, ½ gr. Ext. Cannab. Ind., 1-10 gr.			
Med. prop.—Alterative to Mucous Membrane.	1 to 4	75	3 50
Med. prop.—Alterative to Mucous Membrane.		75	3 50
STOMACHIC (Lady Webster) U. S. P Med. prop.—Stimulating Purgative. Aloes Soc., 2 grs.—Gum Mastich, ½ gr.	1 to 2	50	2 25
Flor. Rosæ, ½ gr. STRYCHNINA. 1-60 gr Med. prop.—Nerve Stimulant, Tonic.	ı to 3	40	1 75
Med. prop.—Nerve Stimulant, Tonic. STRYCHNINA. 1-40 gf		40	I 75
STRYCHNINA. 1-32 gr	1 to 3	40	1 75
STRYCHNINA. 1-30	1 to 3	40	1 75
STRYCHNINA. 1-20 gr		40	1 75
STRYCHNINA. 1-16 gr		40	1 75
STRYCHNINÆ SULPH. 1-32 gr		40	1 75
SYPHILITIC Med. prop.—Specific Alterative. Potass. Iod., 2½., grs. Hyd. Chlor. Corros., 1-40 gr.	1 to 2	1 00	4 75
Med. prop.—Tonic. Ext. Gentianæ, 1 gr.	2 to 3	60	2 75
Med. prop.—Tonic. Ext. Gentianæ, 1 gr. Ext. Humuli, ½ gr. Ferri Carb., Sacch., ½ gr. Ext. Nuc. Vomicæ, 1-20 gr. Res. Podophylli gr. gr.			
Res. Podophylli, 1-25 gr. Oleo. Res, Zingiber., 1-10 gtt.			
Med. prop.—Purgative.	2 to 4	75	3 50
Aloes Socot., 2 grs.—Mass. Hydrarg., 1 gr. Podophyllin, ¼ gr. TRIPLEX IMPROVED.			
Med. prop.—Purgative. Pulv. Scammon, Virg., 1 1-5 gr.	2 10 4	7 5	3 50
Pilv. Aloes Soc., 1 1-5 gr. Pil. Hydrarg., 1 1-5 gr. Ol. Tiglii , 1-20 min.			
Ol. Carul., ¼ min. Tr. Aloes. et Myrrh., q. s.			
ZINC PHOSPHIDE. 16, 1/4 gr		75	3 50
ZINC PHOSPHIDE AND NUX VOM Med. Prop.—Tonic, Stimulant. Zinc Phos, 1-10 gr.—Ext. Nuc. Vom., 1/2 gr.		1 00	4 75
ZINC VALERIAN. 1 gr	1 to 3	1 00	4 75

SUGAR-COATED GRANULES.

SUGAR-COATED GRANULES.	DOSE,	PRI	ICE.
ACID, ARSENIOUS. 1-20, 1-30, 1-50, 1-60 gr Med. properties—Antiperiodic, Alterative.	1 to 2	\$ 40	\$1 75
ACONITIA. 1-60 gr Med. prop.—Nerve Sedative.	I to 2	75	3 50
ALOIN ET STRYCHNIN	1 (0 2	60	2 75
Strychnine, 1-60 gr. ALOIN ET STRYCHNIN. ET BELLA-			
DON	1 to 2	60	2 75
ATROPINA. 1-60 gr	1 to 2	75	3 50
ATROPINA. 1-100 gr	1 to 2	75	3 50
ATROPINÆ SULPH. 1-60 gr	I to 2	75	3 50
CORROSIVE SUBLIMATE. 1-12, 1-20, and 1-40 gr	1 to 2	40	I 75
CAULOPHYLLIN, 1-10 gr	1 to 4	40	1 75
CIMICIFUGIN. 1-10 gr	1 to 4	40	1 75
CODEIA. 1/4 gr	2 to 4	1 25	6 00
DIGITALIN, (Alkaloid) 1-60 gr	I to 2	75	3 50
ELATERIUM (Clutterbuck's). 1-10 gr	1 to 2	95	4 50
EXTRACT BELLADONNA (Eng.) 1/4 gr Med. prop.—Anodyne.	I to 3	40	I 75
EXTRACT IGNATIA AMARA. ¼ gr Med. prop.—Nerve Sedative.	1 to 2	50	2 25
EXTRACT CANNABIS INDICA. ¼ gr Med. prop.—Anodync.	1 to 4	60	2 75
EXTRACT HYOSCYAMUS (Eng.) ½ gr Med. prop.—Nerve Stimulant.	1 to 3	40	1 75
EXTRACT NUC. VOMICA. ¼ and ½ gr Med. prop.—Nerve Stimulant.	x to 3	40	1 75
GELSEMIN. 1-16 gr	1 to 4	40	1 75
GELSEMIN. 1/8 gr	1 to 2	50	2 25
Med. prop.—Arterial Sedative.	1 to 2	75	3 50
HYDRASTIN. ½ gr		95	4 50
HELONIN. 1-10 gr		50	2 25
HYOSCYAMIÆ. 1-100 gr	I	3 00	14 75
LEPTANDRIN. ¼ gr		40	I 75
LEPTANDRIN. ½ gr	1 to 4	50	2 25
MERCURY PROTIODIDE. 1/4 gr	1 to 4	40	x 75

SUGAR-COATED GRANULES.	DOSE.	PR.	ICE.
MERCURY PROTIODIDE. ½ gr	1 to 2	\$ 50	\$2 25
MERCURY PROTIODIDE. 1/8 gr	2 to 4	40	1 75
MERCURY PROTIODIDE. 1-5 gr	1 to 2	40	1 75
MERCURY BINIODIDE. 1-16 gr	1 to 4	40	I 75
MORPHINÆ ACET. 1/8 gr	1 to 2	70	3 25
MORPHINÆ SULPH. 1-20 gr	1 to 2	40	1 75
MORPHINÆ SULPH. 1-10 gr	1 to 2	50	2 25
MORPHINÆ SULPH. 1/8 gr	1 to 2	60	2 75
MORPHINÆ SULPH. 1-6 gr	1 to 2	70	3 25
MORPHINÆ SULPH. ¼ gr	1 to 2	90	4 25
MORPHINÆ VALERIANATE. 1/8 gr Med. prop.—Anodyne.	1 to 2	90	4 25
MORPHINÆ SULPH, ½ gr	1	r 50	7 25
PETROLEII COMP		1 00	4 75
Med. prop.—Recommended in Consumption and Wasting Diseases, Mass. Petrolei., 1 gr.			
Magnes Carb., 1/2 gr.			
Strychnia Sul., 1-100 gr. Ol. Gaulther., 1-20 gr.			
PODOPHYLLIN. 1-10 gr	1 to 4	40	1 75
PODOPHYLLIN. ¼ gr	1 to 4	40	1 75
PODOPHYLLIN. ½ gr	1 to 2	50	2 25
PODOPHYLLIN COMP	1 to 2	75	3 50
Podophyllin, ½ gr. Ext. Hyoscyami, ½ gr. Ext. Nuc. Vomicæ, 1-16 gr.			
SILVER NITRATE, ¼ gr	1 to 4	75	3 50
SILVER IODIDE. ½ gr	1 to 4	75	3 50
STRYCHNINA. 1-16, 1-20, 1-30, 1-32, 1-40, and 1-60 gr	ı to 3	40	1 75
STRYCHNINÆ SULPH. 1-32 gr	ı to 3	40	1 75
VERATRINÆ SULPH. 1-12 gr Med. prop.—Powerful Topical Excitant.	1	. 50	2 25
the state of the s			

SUGAR-COATED PILLS IN BULK.

NO CHARGE FOR BOTTLES.

Cathartic Comp., U. S. Pper pound, \$	I	15
		15
Cathartic Comp., (Warner & Co.'s New Recipe)	I	15

VEGETABLE LIVER PILLS, .	in .	*	8 .90	\$8.00
LITTLE CATHARTIC GRANULES,			1000	10,000

DOSIMETRIC GRANULES.

The dose is one granule, and repeated to meet the requirements of the case.

Price per 100.
ACONITINE1-65 gr. (1 milligram).\$ 75 Med. prop.—Nerve Sedative.
ACID ARSENIOSUM1-65 gr. (1 milligram) 40 Med. prop.—Antiperiodic, Alterative.
ACID PHOSPHORIC1-65 gr. (1 milligram) 40 Med. prop.—Nerve Stimulant.
ACID TANNICUM1-6 gr. (1 centigram) 40 Med. prop.—Astringent.
ACID SALICYLICUM
ANTIMONII ARSENIAS1-65 gr. (1 milligram) 40 Med. prop.—Alterative, Diaphoretic.
ARSENII IODIDUM1-65 gr. (1 milligram) 40 Med. prop.—Alterative.
ASPARAGIN1-65 gr. (1 milligram) 40 Mod. prop.—Arterial Sedative.
ATROPINÆ SULPHAS
BRUCINE1-130 gr. (½ milligram) 40 Med. prop.—Tonic.
BRYONIN1-65 gr. (1 milligram) 50 Med. prop.—Hydragogue, Cathartic.
CAFFEINÆ ARSENIAS1-65 gr. (1 milligram) 50 Med. prop.—Alterative.
CAFFEINÆ CITRAS1-65 gr. (1 milligram) 50 Med. prop.—Nerve Stinulant.
QAFFEINÆ VALERIANAS1-65 gr. (1 milligram) 50 Med. prop.—Stimulant, Antispasmodic.
CALABARIN SULPHAS1-130 gr. (½ milligram) 75 Med. prop.—Spinal Sedative.
CALOMEL1-65 gr. (1 milligram) 40 Med. prop.—Alterative, Purgative.
CAMPHORÆ BROMATED
Med. prop.—Sedative. CICUTINE
CICUTINE HYDROBROMAS1-65 gr. (1 milligram) 75 Med. prop.—Nerve Sedative.
CODEINE1-65 gr. (1 milligram) 75 Med. prop.—Hypnotic, Sedative.
COLCHIOIN
CROTON CHLORAL
CUBEBINE1-65 gr. (1 milligram) 50 Med. prop.—Diuretic.
DATURINE1-130 gr. (½ milligram) 75 Med. prop.—Narcotic, Anodyne.
DIASTASE
ELATERINE
EMETINE
ERCOTINE
FERRI ARSENIAS1-65 gr. (1 milligram) 40 Med. prop.—Tonic, Alterative.
FERRI SALICYLAS
FERRI VALERIANAS

DOSIMETRIC GRANULES—Continued.	
HYDRARGYRI IODID. RUB1-65 gr. (1 milligram).\$	100. 40
HYDRARGYRI IODID. VIR	
HYOSCYAMINE	75
IODOFORM1-65 gr. (1 milligram) Med. prop.—Alterative.	40
JALAPIN	50
KOOSINE1-65 gr. (1 milligram) Med. prop.—Anthelmintic.	50
LITHII CARBONAS	50
Med. prop.—Diuretic. LITHII BENZOAS% gr. (1 centigram) Med. prop.—Diuretic, Expectorant.	75
MORPHINÆ HYDROBROMAS1-65 gr. (1 milligram) Med. prop.—Anodyne.	75
MORPHINÆ IODOHYDRAS1-65 gr. (1 milligram) Med. prop.—Anodyne.	75
NARCEIN1-65 gr. (1 milligram) Med. prop.—Supposed to influence the inferior part of the spinal marrow, diminishing sensation and mobility in the inferior ex- tremities.	75
PIPERINA1-65 gr. (1 milligram) Med. prop.—Local and general stimulant.	40
PICROTOXIN1-130 gr. (½ milligram) Med. propNarcotic.	75
PILOCARPINÆ1-65 gr. (1 milligram) Med. prop.—Sudorific.	75
PODOPHYLLIN	40
POTASSII ARSENIASl-65 gr. (1 milligram) Med. prop.—Alterative.	40
QUASSIN[1-65 gr. (1 milligram) Med. prop.—Tonic, Febrifuge, Anthelmiutic.	50
QUININÆ HYDROBBOMAS	75
QUININÆ ARSENIAS1-65 gr. (1 milligram) Med. prop.—Tonic, Alterative.	50
QUININÆ HYDROFERROCYANAS.1-65 gr. (1 milligram) Med. prop.—Tonic.	75
QUININÆ SALICYLAS	75
QUININÆ SULPHAS	40
QUININÆ VALERIANAS	75
SANTONINUM	40
Med. prop.—Cardiac Sedative, Diuretic.	
SODII BENZOAS	
SODII SALICYLAS	40
STRYCHNINÆ ARSENIAS1-130 gr. (½ milligram) Med. prop.—Tonic, Alterative.	50
STRYCHNINÆ HYPOPHOSPHIS1-130 gr. (½ milligram) Med. prop.—Tonic.	50
STRYCHNINÆ SULPHAS1-130 gr. (½ milligram) Med. prop.—Tonic. SULPHUR LODIDUM	40
SULPHUR IODIDUM% gr. (1 centigram) Med, prop.—Alterative. VERATRINA	40
prop. Topious sacreage.	40
ZINCI CYANIDUM1-65 gr. (1 railligram) Med. prop.—Antispasmodic. ZINCI PHOSPHIDUM1-65 gr. (1 milligram)	40
Med. prop.—Tonic, Stimulant. ZINCI VALERIANAS	40
Med. prop.—Antispasmodic.	70

WM. R. WARNER & CO.'S

QUININEPILLS

Made of pure material and of full weight.

PRICES CURRENT.

Solub	le Coate	d. (Sugar.)		
				Per bottle of 100.	Per bottle of 500.
PIL.	QUININÆ	SUL	., ½ gr		\$2.00
	"	4.6	1 gr		2.75
4.4	66	66	2 grs		4.75
	* 66	66	3 grs		7.00
66	"	"	5 grs		11.50
			9 8 2 2 2 2 2		
Trans	parent	Coa	ted. (Gel	atin.)	
				Per bottle of 100.	Per bottle of 500.
PIL.	QUININÆ	SUL	\cdot , $\frac{1}{2}$ gr \cdots	\$.45	\$2.00
66	66	"	1 gr	60	2.75
6.6	66	6.6	2 grs	1.00	4.75
6.6	66	6.6	3 grs	1.45	7.00
4.6	44	"	5 grs	2.35	11.50
			٠.		
Comp	ressed (Tal	olets.)		
			e = * * * * * * * * * * * * * * * * * *	Per bottle	Per bottle
DIT	OTITATIAT 707	CITT	1	of 100.	of 500.
PIL.	QUININAS	SUL	., 1 gr		\$2.75
			2 grs	1.00	4.75
• 6	"	"	3 grs	1.45	7.00

PRICES SUBJECT TO DISCOUNT.

5 grs. 2.35

11.50

WARNER & CO.'S

Tasteless Quinine Tablets

Each Tablet contains 1 gr. Tannate of Quinine with Chocolate.

Per dozen boxes, of 30 Tablets each, \$3.00.

Also Tablets each containing 2 grs. Tan. Quinine.

Per dozen, \$4.00.

WILLIAM R. WARNER & GO.

Makers of Soluble Coated Pills,

PHILADELPHIA and NEW YORK.

ADDENDA.

SOLUBLE COATED PILLS.

ALOES ET FERRI		DOSE.	PRI 100'S	ICE.
Pv. Alogher Jam., i gr. Pv. Zingiber Jam., i gr. Perri Sul. Exs., i gr. Pv. Zingiber Jam., i gr. Perri Sul. Exs., i gr. Pv. Zingiber Jam., i gr. ALOIN COMP. Med. Prop.—Tonic, Laxative. Aloin, ½ gr. Ext. Belladon, ½ gr. Ext. Belladon, ½ gr. Strychin, 16 gr. Ext. Belladon, ½ gr. Ext. Cascara Sag., ½ gr. ANTI-ONSTIPATION. (Palmer). 1 to 2 75 3 59 Moles Soc'i, 1 gr. Ext. Hyoscyam, 1 gr. Ext. Nuc. Vom., ½ gr. Incare Pv., 1-10 gr. ANTI-DYSPEPTIC. (Fothergill). 1 75 3 59 ANTI-DYSPEPTIC. (Fothergill). 1 75 3 59 Ext. Gentian, 1 gr. EUONYMIN. 1 gr. Pv. Piper. Nig., 1½ grs. Ext. Gentian, 1 gr. EUONYMIN. 2 grs. It to 2 2 00 9 75 Med. Prop.—Tonic, Laxative, Diuretic. EXT. COCA. 3 grs. It to 2 2 00 9 75 Med. Prop.—Tonic, Laxative, Diuretic. EXT. COCA. 3 grs. It to 2 1 25 6 00 Med. Prop.—Stimulant, Tonic, Aphrodisiac. ERGOTIN. 2 grs. Med. Prop.—Parturient. EXT. EUCALYPTUS. 2 grs. Med. Prop.—Parturient. EXT. EUCALYPTUS. 2 grs. Med. Prop.—Pandoyne, Soporific. MORPHINÆ MURIAS. ½ gr. 1 1 150 7 25 Med. Prop.—Anodyne, Soporific. MORPHINÆ MURIAS. ½ gr. 1 1 10 2 60 2 75 Med. Prop.—Recommended in Epilepsy. Med. Prop.—Recommended in Epilepsy. POTASS. PERMANGANAS. 1 gr. 1 10 4 75 Med. Prop.—Recommended in Amenorrhea and Dysmenorrhea. POTASS. PERMANGANAS. 2 grs. 1 10 2 150 7 25 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs. 1 10 2 150 7 25 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs. 1 10 2 150 7 25 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs. 1 10 2 150 7 25 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs. 1 10 2 150 7 25	ALOES ET FERRI	1 to 3		
Pv. Zingiber Jam., 1 gr. Ferri Sul. Exs., 1 gr. Ext. Conii, ½ gr. ALOIN COMP	Med. Prop.—Tonic, Purgative.			
Ext. Conii, ½ gr. ALOIN COMP. Med. Prop.—Tonic, Laxative. Aloin, ½ gr. Ext. Belladon, ½ gr. Podophyllin, ½ gr. ALOIN ET STRYCHNIN. ET BELLAD. COMP. Med. Prop. Ext. Belladon, ½ gr. Strychnin, 1-5 gr. Ext. Belladon, ½ gr. Strychnin, 1-6 gr. Ext. Ext. Belladon, ½ gr. Strychnin, 1-6 gr. Ext. Cascara Sag., ½ gr. ANTI CONSTIPATION. (Palmer). 1 to 2 75 3 59 Aloes Soc't, 1 gr. Ext. Hyoscyam, 1 gr. Ext. Gentian, 1 gr. EUONYMIN. 1 gr. Med. Prop.—Tonic, Laxative, Diuretic. EUONYMIN. 2 grs. 1 to 2 2 00 9 75 Med. Prop.—Tonic and Sedative. COCAINE HYDROCHLOR. 1-10 gr. Med. Prop.—Tonic and Sedative. COCAINE HYDROCHLOR. 1-10 gr. Med. Prop.—Stimulant, Tonic, Aphrodisiac. ERGOTIN. 2 grs. 1 to 2 1 25 6 00 Med. Prop.—Parturient. EXT. EUCALYPTUS. 2 grs. 1 100 4 75 Med. Prop.—Panodyne, Soporific. MORPHINÆ MURIAS. ½ gr. 1 1 50 7 25 Med. Prop.—Anodyne, Soporific. MORPHINÆ MURIAS. ½ gr. 1 10 2 90 4 25 Med. Prop.—Anodyne, Soporific. MORPHINÆ MURIAS. ½ gr. 1 10 2 7 25 Med. Prop.—Recommended in Epilepsy. POTASS. PERMANGANAS. 1 gr. 1 10 2 1 50 7 25 Med. Prop.—Recommended in Epilepsy. POTASS. PERMANGANAS. 2 grs. 1 10 2 1 00 4 75 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs. 1 10 2 1 00 4 75 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs. 1 10 2 1 00 4 75 Med. Prop.—As above.	Pv. Zingiber Jam., 1 gr.			
Med. Prop.—Tonic, Laxative. Aloin, ½ gr. Ext. Belladon., ½ gr. Podophyllin, ½ gr. ALOIN ET STRYCHNIN. ET BELLAD. COMP Med. Prop. Aloin, 1-5 gr. Ext. Belladon., ½ gr. Strychini, 1-6 gr. Ext. Cascara Sag., ½ gr. ANTI-CONSTIPATION. (Palmer) Aloes Soc't, 1 gr. Ext. Hyoscyam, 1 gr. Ext. Hyoscyam, 1 gr. Ext. Nuc. Vom., ½ gr. Ipecac, ½ gr. Strychinin, 1-20 gr. Pv. Ipecac, ½ gr. Strychinin, 1-20 gr. Pv. Piper. Nig., 1½ grs. Ext. Gentian, 1 gr. EUONYMIN. 1 gr. Pv. Piper. Nig., 1½ grs. Ext. COCA. 3 grs. Med. Prop.—Tonic, Laxative, Diuretic. EUONYMIN. 2 grs. Med. Prop.—Tonic and Sedative. COCAINE HYDROCHLOR. 1-10 gr. Med. Prop.—Tonic and Sedative. COCAINE HYDROCHLOR. 1-10 gr. Med. Prop.—Parturient. EXT. EUCALYPTUS. 2 grs. Med. Prop.—Parturient. EXT. EUCALYPTUS. 2 grs. Med. Prop.—Diaphoretic, Febrifuge. MORPHINÆ MURIAS. ½ gr. Med. Prop.—Anodyne, Soporific. MORPHINÆ MURIAS. ½ gr. Med. Prop.—Anodyne, Soporific. MORPHINÆ MURIAS. ½ gr. Med. Prop.—Anodyne, Soporific. MORPHINÆ MURIAS. ½ gr. Med. Prop.—Recommended in Epilepsy. POTASS. PERMANGANAS. 1 gr. Med. Prop.—Recommended in Amenorrhœa and Dysmenorrhœa. POTASS. PERMANGANAS. 2 grs. 1 to 2 1 50 2 25 Med. Prop.—Recommended in Amenorrhœa and Dysmenorrhœa. POTASS. PERMANGANAS. 2 grs. 1 to 2 1 50 3 50 4 75 50 2 25 50 2 25 50 6 2 25 6 2	Ext. Conii, ½ gr.			
Aloin, ½ gr. Ext. Belladon., ½ gr. Podophyllin, ½ gr. ALOIN ET STRYCHNIN. ET BELLAD. COMP. Med. Prop. Aloin, 1-5 gr. Ext. Belladon., ½ gr. Strychimi, 1-6 gr. Ext. Cascara Sag., ½ gr. ANTI-CONSTIPATION. (Palmer)		1 to 2	50	2 25
ALOIN ET STRYCHNIN. ET BELLAD. COMP. Med. Prop Ext. Belladon., ½ gr. Strychimi, 1-6 gr. Ext. Cascara Sag., ½ gr. ANTI CONSTIPATION. (Palmer) 1 to 2 75 3 50 Aloes Soc't, 1 gr. Ext. Hyoscyam, 1 gr. Ext. Nuc. Vom., ½ gr. Ipecac Pv., 1-10 gr. ANTI-DVSPEPTIC. (Fothergill) 1 75 3 50 Pv. Ipecac, ½ gr. Strychimi, 1-20 gr. Pv. Piper. Nig., 1½ grs. Ext. Gentain, 1 gr. EUONYMIN. 1 gr 1 to 3 1 25 6 00 Med. Prop.—Tonic, Laxative, Diuretic. EUONYMIN. 2 grs 1 to 2 2 00 9 75 Med. Prop.—Tonic, Laxative, Diuretic. EXT. COCA. 3 grs 1 to 2 80 3 75 Med. Prop.—Tonic and Sedative. COCAINE HYDROCHLOR. 1-10 gr 1 to 2 1 25 6 00 Med. Prop.—Parturient. EXT. EUCALYPTUS. 2 grs 1 to 2 1 25 6 00 Med. Prop.—Parturient. EXT. EUCALYPTUS. 2 grs 1 to 2 1 25 6 00 Med. Prop.—Anodyne, Soporific. MORPHINÆ MURIAS. ½ gr 1 1 1 50 7 25 Med. Prop.—Anodyne, Soporific. MORPHINÆ MURIAS. ½ gr 1 to 2 00 4 25 Med. Prop.—Recommended in Epilepsy. POTASS. PERMANGANAS. ½ gr 1 to 2 1 50 7 25 Med. Prop.—Recommended in Epilepsy. POTASS. PERMANGANAS. 1 gr 1 to 4 75 3 50 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 4 75 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 4 75 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 4 75 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 4 75 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 Med. Prop.—As above.	Med. Prop.—Tonic, Laxative. Aloin, ½ gr.	1		
ALOIN ET STRYCHNIN. ET BELLAD. COMP Med. Prop. Aloin, 1-5 gr. Ext. Belladon., ½ gr. Strychnin, 1-6 gr. Ext. Cascara Sag., ½ gr. ANTI-CONSTIPATION. (Palmer) Aloes Soc't, 1 gr. Ext. Hyoscyam, 1 gr. Ext. Hyoscyam, 1 gr. Ext. Nuc. Vom., ½ gr. Ipecac, ½ gr. Strychnin, 1-20 gr. Pv. Ipecac, ½ gr. Strychnin, 1-20 gr. Pv. Piper. Nig., 1½ grs. Ext. Gentian, 1 gr. EUONYMIN. 1 gr. Med. Prop.—Tonic, Laxative, Diuretic. EUONYMIN. 2 grs. Med. Prop.—Tonic, Laxative, Diuretic. EXT. COCA. 3 grs. Med. Prop.—Tonic and Sedative. COCAINE HYDROCHLOR. 1-10 gr. Med. Prop.—Stimulant, Tonic, Aphrodisiac. ERGOTIN. 2 grs. Med. Prop.—Parturient. EXT. EUCALYPTUS. 2 grs. Med. Prop.—Parturient. EXT. EUCALYPTUS. 2 grs. Med. Prop.—Anodyne, Soporific. MORPHINÆ MURIAS. ½ gr. Med. Prop.—Recommended in Epilepsy. POTASS. PERMANGANAS. ½ gr. Med. Prop.—Recommended in Epilepsy. POTASS. PERMANGANAS. 1 gr. Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs. Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs. I to 2 1 50 4 75 A 50 A	Ext. Belladon., ¼ gr. Podophyllin, ⅓ gr.			
Med. Prop. Aloin, 1-5 gr. Ext. Belladon, 1/6 gr. Strychnin, 1-6 gr. Ext. Cascars Sag., 1/2 gr. ANTI-CONSTIPATION. (Palmer) 1 to 2 75 3 50 Aloes Soc't, 1 gr. Ext. Hyoscyam, 1 soo gr. Pv. Pipera. Pv., 1-10 gr. Strychnin, 1 soo gr. Pv. Piper. Nig., 1 /2 grs. Ext. Gentian, 1 gr. EUONYMIN. 1 gr 1 to 2 2 00 9 75 Med. Prop.—Tonic, Laxative, Diuretic. EUONYMIN. 2 grs 1 to 2 2 00 9 75 Med. Prop.—Tonic, Laxative, Diuretic. EXT. COCA. 3 grs 1 to 2 80 3 75 Med. Prop.—Tonic and Sedative. COCAINE HYDROCHLOR. 1-10 gr 1 to 2 1 25 6 00 Med. Prop.—Stimulant, Tonic, Aphrodisiac. ERGOTIN. 2 grs 1 to 2 1 25 6 00 Med. Prop.—Diaphoretic, Febrifuge. Morphinæ Murias. ½ gr 1 to 2 1 25 6 00 Med. Prop.—Diaphoretic, Febrifuge. MORPHINÆ MURIAS. ½ gr 1 to 2 1 25 6 00 Med. Prop.—Anodyne, Soporific. MORPHINÆ MURIAS. ½ gr 1 to 2 90 4 25 Med. Prop.—Anodyne, Soporific. MORPHINÆ MURIAS. ½ gr 1 to 2 50 7 25 Med. Prop.—Recommended in Epilepsy. POTASS. PERMANGANAS. ½ gr 1 to 2 50 2 25 Med. Prop.—Recommended in Amenorrhœa and Dysmenorrhœa. POTASS. PERMANGANAS. 1 gr 1 to 4 75 3 50 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 4 75 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 4 75 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 4 75 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 4 75 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 4 75 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 4 75 Med. Prop.—As above.	ALOIN ET STRYCHNIN. ET BELLAD.	-		
Aloin, 1-5 gr. Ext. Belladon, ½ gr. Strychnin, 1-60 gr. Ext. Cascara Sag., ½ gr. ANTI CONSTIPATION. (Palmer)			75	3 50
Strychnin, 1-60 gr. Ext. Cascara Sag., ½ gr.	Med. Prop. Aloin, 1-5 gr.			
ANTI-ONSTIPATION. (Palmer)	Strychnin, 1-60 gr.			
Aloes Soc't, 1 gr. Ext. Hyoscyam, 1 gr. Ext. Nuc. Vom., ½ gr. 1 pecac Pv., 1-10 gr. ANTI-DYSPEPTIC. (Fothergill) 1 Pv. Ipecac, ½ gr. Strychnin, 1-20 gr. Pv. Piper. Nig., 1½ grs. Ext. Gentian, 1 gr 1 to 3 1 25 6 00 Med. Prop.—Tonic, Laxative, Diuretic. EUONYMIN. 2 grs 1 to 2 2 00 9 75 Med. Prop.—Tonic, Laxative, Diuretic. EXT. COCA. 3 grs 1 to 2 80 3 75 Med. Prop.—Tonic and Sedative. COCAINE HYDROCHLOR. 1-10 gr Med. Prop.—Stimulant, Tonic, Aphrodisiac. ERGOTIN. 2 grs 1 to 2 1 25 6 00 Med. Prop.—Parturient. EXT. EUCALYPTUS. 2 grs 1 to 2 1 25 6 00 Med. Prop.—Diaphoretic, Febrifuge. MORPHINÆ MURIAS. ½ gr 1 to 2 1 25 6 00 MorphinÆ MURIAS. ½ gr 1 to 2 1 25 6 00 MORPHINÆ MURIAS. ½ gr 1 to 2 1 25 6 00 MORPHINÆ MURIAS. ½ gr 1 to 2 1 25 6 00 MORPHINÆ MURIAS. ½ gr 1 to 2 1 25 6 00 MORPHINÆ MURIAS. ½ gr 1 to 2 1 25 6 00 MORPHINÆ MURIAS. ½ gr 1 to 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				
Ext. Hyoscyam, 1 gr.		1 to 2	75	3 50
ANTI-DYSPEPTIC. (Fothergill)	Ext. Hyoscyam, 1 gr.			
Pv. Ipecac, % gr. Strychnin, 1-20 gr. Pv. Piper, Nig., 1½ grs. Ext. Gentian, 1 gr. EUONYMIN. 1 gr	Ipecac Pv., 1-10 gr.			
P lpecac, ½ gr. Strychnin, 1-20 gr. P.v. Piper. Nig., 1½ grs. Ext. Gentian, 1 gr. EUONYMIN. 1 gr		1	75	3 50
EUONYMIN. 1 gr	Pv. Ipecac, ¾ gr. Strychnin, 1-20 gr.			
Med. Prop.—Tonic, Laxative, Diuretic. EUONYMIN. 2 grs	Pv. Piper. Nig., 1½ grs. Ext. Gentian, 1 gr.			
Med. Prop.—Tonic, Laxative, Diuretic. EUONYMIN. 2 grs	EUONYMIN. 1 gr	1 to 3	1 25	6 00
Med. Prop.—Tonic, Laxative, Diuretic. 2 5 9 75 EXT. COCA. 3 grs				
EXT. COCA. 3 grs	3	1 to 2	2 00	9 75
Med. Prop.—Tonic and Sedative. COCAINE HYDROCHLOR. 1-10 gr	Med. Prop.—Tonic, Laxative, Diuretic.			
COCAINE HYDROCHLOR. 1-10 gr		1 to 2	80	3 75
Med. Prop.—Stimulant, Tonic, Aphrodisiac. ERGOTIN. 2 grs			0 1	100
ERGOTIN. 2 grs			1 50	7 25
Med. Prop.—Parturient. EXT. EUCALYPTUS. 2 grs		1 to 2	7 05	6
Med. Prop.—Diaphoretic, Febrifuge. 4 75 MORPHINÆ MURIAS. ½ gr. 1 Med. Prop.—Anodyne, Soporific. 1 to 2 MORPHINÆ MURIAS. ½ gr. 1 to 2 Med. Prop.—Anodyne, Soporific. 1 to 2 60 MORPHINÆ MURIAS. ½ gr. 1 to 2 Med. Prop.—Anodyne, Soporific. 1 to 2 60 NICKEL BROMID. 2½ grs. 1 to 2 Med. Prop.—Recommended in Epilepsy. 1 to 2 2 to 5 POTASS. PERMANGANAS. ½ gr. 2 to 5 Med. Prop.—Recommended in Amenorrhæa and Dysmenorrhæa. 1 to 4 75 POTASS. PERMANGANAS. 1 gr. 1 to 4 75 Med. Prop.—As above. 1 to 2 1 to 2 1 to 2 Med. Prop.—As above. 1 to 2 1 to 2 1 to 2 Med. Prop.—As above. 1 to 2 1 to 2 1 to 2 Med. Prop.—As above. 1 to 2 1 to 2 1 to 2 Med. Prop.—As above. 1 to 2 1 to 2 1 to 2 Med. Prop.—Bernia Muria Muri			1 25	0 00
Med. Prop.—Diaphoretic, Febrifuge. MORPHINÆ MURIAS. ½ gr	EXT. EUCALYPTUS. 2 grs	5.90	1 00	4 75
Med. Prop.—Anodyne, Soporific. 1 50 7 25 MORPHINÆ MURIAS. ½ gr	Med. Prop.—Diaphoretic, Febrifuge.			4 /5
MORPHINÆ MURIAS. ½ gr 1 to 2 90 4 25 MORPHINÆ MURIAS. ½ gr 1 to 2 60 2 75 MORPHINÆ MURIAS. ½ grs 1 to 2 60 2 75 Med. Prop.—Anodyne, Soporific. NICKEL BROMID. 2½ grs 1 to 2 1 50 7 25 Med. Prop.—Recommended in Epilepsy. POTASS. PERMANGANAS. ½ gr 2 to 5 50 2 25 Med. Prop.—Recommended in Amenorrhæa and Dysmenorrhæa. POTASS. PERMANGANAS. 1 gr 1 to 4 75 3 50 POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 4 75 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 4 75 SUMBUL. COMP	7-0	1	1 50	7 25
Med. Prop.—Anodyne, Soporific. 1 to 2 90 4 25 MORPHINÆ MURIAS. ½ gr		1111	111	1 1 1
MORPHINÆ MURIAS. ½ gr 1 to 2 60 2 75 Med. Prop.—Anodyne, Soporific. NICKEL BROMID. 2½ grs 1 to 2 1 50 7 25 Med. Prop.—Recommended in Epilepsy. POTASS. PERMANGANAS. ½ gr 2 to 5 50 2 25 Med. Prop.—Recommended in Amenorrhæa and Dysmenorrhæa. POTASS. PERMANGANAS. 1 gr 1 to 4 75 3 50 POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 4 75 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 4 75 SUMBUL. COMP	74 0	1 to 2	90	4 25
Med. Prop.—Anodyne, Soporific. NICKEL BROMID. 2½ grs				
NICKEL BROMID. 2½ grs	700	1 (0 2	60	2 75
Med. Prop.—Recommended in Epilepsy. POTASS. PERMANGANAS. 1/2 gr		1 to 2		
Med. Prop.—Recommended in Amenorrhœa and Dysmenorrhœa. POTASS. PERMANGANAS. 1 gr 1 to 4 75 3 50 POTASS. PERMANGANAS. 2 grs 1 to 2 1 00 4 75 Med. Prop.—As above. SUMBUL. COMP		102	1 50	7 25
POTASS. PERMANGANAS. 1 gr 1 to 4 Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 Med. Prop.—As above. SUMBUL. COMP		2 to 5	50	
Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 Med. Prop.—As above. SUMBUL. COMP	Dysmenorrhæa.		30	2 25
Med. Prop.—As above. POTASS. PERMANGANAS. 2 grs 1 to 2 Med. Prop.—As above. SUMBUL. COMP	POTASS. PERMANGANAS. 1 gr.	I to A		
Med. Prop.—As above. SUMBUL. COMP	3		75	3 50
Med. Prop.—As above. SUMBUL. COMP. Ext. Sumbul., 1 gr. Asafoctida, 2 grs. Ferri Sulph. Exsic., 1 gr.	POTASS. PERMANGANAS. 2 grs	I to 2		
Ext. Sumbul., 1 gr. Asafœtida, 2 grs. Ferri Sulph. Exsic., 1 gr.	Med. Prop.—As above.		1 00	4 75
Asafoetida, 2 grs. Ferri Sulph. Exsic., 1 gr.			7 50	7 25
Ferri Sulph. Exsic., 1 gr. Acid Arsen., 1-30 gr.	Ext. Sumbul., 1 gr. Asafœtida, 2 grs.		. 50	/ 25
	Ferri Sulph. Exsic., 1 gr. Acid Arsen., 1-30 gr.	1 7 7 7		

When ordering or prescribing, please specify WARNER & CO.'S.

ADDENDA.

SOLUBLE COATED PILLS.

	DOSE.	PR	ICE.
	DOSE.	100's	500's
QUININÆ ET FERRI ET ZINCI VALER	I	1 50	7 25
Med. Prop.—Recommended for the relief of Melan- cholia, Incipient Insanity, and as being particu- larly adapted for the cure of the worry of nervous females.			
Quininæ Valer.			
Ferri Valer Zinci Valer. aa 1 gr.	100		
CHALYBEATE COMPOUND.(Warner & Co)	I to 3	80	
Med. Prop.—Employed in the treatment of Anemia Chlorosis, Phthisis, etc.			
Chalybeate Mass. 2 grs.		- 1/	
Ext. Nuc. Vom. 1/2 gr.		- 44	100
MANGANESE BIN-OXIDE, 2 grs Med. Prop.—Emmenagogue.	I	1 25	6 00
ALOIN, ¼ gr	I to 2	75	3 50
ANTISEPTIC. (Warner & Co.)	I to 3	80	
Sulphite Soda, 1 gr. Salicylic Acid, 1 gr. Ext. Nuc. Vom., ½ gr.			
ANTISEPTIC COMP. (Warner & Co.)	1 to 3	80	
Med. Prop.—Used with great advantage in cases of Dyspepsia, Indigestion and Malassimilation of food.			
Sulphite Soda, 1 gr. Salicylic Acid, 1 gr. Ext. Nuc. Vom. ½ gr.			
Powd. Capsicum, 1-10 gr.			
Concent. Pepsin, 1 gr.			
LAPACTICÆ	1 to 2	75	3 50
Aloin, ¼ gr.		13	
Strychnin, 1-60 gr.			
Ext. Beliadon, 1/8 gr. Ipecac, 1-16 gr.			
		1	

WARNER & CO.'S

TABLETS OF

COMPOUND LICORICE POWDER

Specially Prepared by WM. R. WARNER & CO.

Senna Alex.

Sem. Fœnículi. Glycyrrhiza. Sulphur Lotum. Saccharum Alb.

An agreeable laxative, in doses of 2 to 6 Tablets, to be taken at a time, dissolved in water or in the mouth as a lozenge.

Per Dozen, \$1.75

Per Pound, 75 cts.

wm rwarner & co.

Manufacturing Pharmacists.

PHILADELPHIA AND NEW YORK.

QUICKLY SOLUBLE TABLETS

-FOR-

Hypodermic Medication.

In compliance with repeated requests from the medical profession to manufacture *quickly soluble* Tablets for subcutaneous medication, we respectfully call attention to the following list.

We desire to emphasize the statement, that in undertaking the manufacture of these delicate agents, we have devoted much time and labor in bringing them to a state of perfection. We have been assisted in our efforts by the co-operation of our medical friends.

We claim (and a candid comparison will convince any one) for our soluble tablets the following points of superiority, viz:—

- 1. They are quickly and entirely soluble.
- 2. They are permanent in form; accurate in dose.
- 3. They are safe, and rapid in action.

FORMULÆ AND PRICE LIST

--OF-

WARNER & CO.'S TABLETS.

Note.—Our Tablets are put up in tubes containing twenty; also in vials containing 100 Tablets. When ordering please specify Wm. R. WARNER & Co.'s HYPODERMIC TABLETS.

Price per box, 12 tubes, assorted, 20 tablets in each, \$2.35.

in each, \$2.30.			
			r doz.
· Per T	ube. 10	00 T	ubes.
Pilocarpinæ Hydrochlor., ½ gr\$.2	20 \$.	.75 \$9	2.00
Ergotin, $\frac{1}{6}$ gr	20 .	75 9	00.9
Apomorphine, $\frac{1}{12}$ gr	20 .	.75	2.00
Atropinæ Sulph., $\frac{1}{60}$ gr	20	.75	2.00
Strychninæ Sulph., $\frac{1}{60}$ gr	. 09	.75	2.00
Morph. Sul. 4 gr. et Atrop. Sul. 120 gr2	25 1.	.00	2.50
Morphinæ Sul., $\frac{1}{3}$ gr	30 1.	.25	3.00
Morphinæ Sul., ¼ gr	25 1.	.00	2.50
Morphinæ Sul., † gr	25 1.	.00	2.50
Hyoscyamiæ Sul., $\frac{1}{100}$ gr	75 3.	.25	9.00
Hydrarg. Bi-Chlor., $\frac{1}{150}$ gr	20 .	.75	2.00
Eserinæ Sul., $\frac{1}{60}$ gr	30 1.	.25	3.00

THE VIALS SHOULD BE KEPT TIGHTLY CORKED.

Hypodermic Syringes of all grades supplied at manufacturers' prices.

WILLIAM R. WARNER & CO.

Manufacturers of Soluble Coated Pills,

1228 MARKET STREET, PHILADELPHIA. 22 LIBERTY STREET, NEW YORK.

WARNER & CO.'S SOLUBLE COATED PILLS.

GELATIN COATED.

TRANSPARENT COATED PILLS.	DOSE.	PR:	ICE,
ALOES, U. S. P		\$ 40	\$1 75
ALOES, ET FERRI, U. S. P	1 to 3	40	1 75
Pur. Aloes, 1 gr. Aromat. Powd., 1 gr. Ferri Sulph. Exs., 1 gr. Confect. Rose, q. s.			
ALOES ET MASTICH. (Lady Webster)		50	2 25
ALOES ET MYRRHÆ, U. S. P		50	2 25
Med. prop.—Tonic, Purgative. Pulv. Aloes Soc., 1½ grs. Ext. Nuc. Vom., ½ gr.	2 10 2	30	~ 45
ALOIN ET STRYCH. ET BELLADON		60	2 75
Aloin, f. gr. Strychnine, for gr. Ext. Belladon., f. gr.			
ALTERATIVE Med. prop.—Alterative, with tendency to mercurial impression.	1 to 2	50	2 25
Mass, Hydrarg., 1 gr. Pulv. Opii, ¼ gr. Pulv. lpeçac., ½ gr.			14
ANTI-BILIOUS. (Vegetable)	2 to 3	50	2 25
Podophyllin, ¼ gr. APERIENT	I to 2	85	4 00
Med. prop.—Aperient, Tonic. Ext. Nuc. Vom., ½ gr. Ext. Hyoscyami, ½ gr.			
Ext. Coloc. Comp., 2 grs. APERIENT. (Dr. Fordyce Barker) Med. prop.—Aperient.		1 00	4 75
Ext. Coloc. Comp., 13/3 grs. Ext. Nuc. Vom., 1/2 gr. Ext. Hyoscyam., 11/4 grs.			
Pulv. Ipecac., ½ gr. Pulv. Aloes Soc., ½ gr. Res. Podophylli, ½ gr.			
ASSAFŒTIDA, U.S. P	ı to 3	40	1 75
CAMPHOR ET EXT. HYOSCYAMUS Med. prop.—Anodyne, Cerebral Stimulant. Camphor, 1 gr.	I to 2	50	2 25
Ext. Hyoscyami, Eng., 1 gr. CATHART. COMP., U. S. P	2 to 4	50	2 25
Med. prop.—Cathartic. CATHART. COMP., IMPROVED Med. prop.—Cathartic.	2 to 4	50	2 25
Ext. Coloc. Comp., Ext. Jalap, Podophyllin, Leptandrin,			
Ext. Hyosoyami, Ext. Gentian., Ol. Menth. Pip.			
CATHART. COMP., VEGETABLE Med. prop.—Cathartic. Podophyllin, Scammony,	2 to 3	50	2 25
Ext. Colocynth, Aloes, Soap, and Cardamom.			
CINCHONINÆ SULPH. 1½ grs	r to 3	75 1 50	3 50 7 25
Med. prop.—Anti-rheumatic. CINCHONIDINÆ SULPH. zgr	I to 3	45	2 00
Med. prop.—Anti-malarial, Anti-periodic. CINCHONIDINÆ SULPH. 2 grs Med. prop.—Anti-malarial, Anti-periodic.	r to 3	65	3 00
azon prop. Trin-mitaria; trin-portodio.			

The cracing of producting 20 databases of produc			
GELATIN COATED PILLS.	DOSE.	SE. PRICE,	
CINCHONIDIN & SULPH, 3 grs	1 to 2	90	4 25
CAC	1 to 3	75	3 50
COLOGYNTH. ET HYOSCYAMUS	1 to 2	75	3 50
Ext. Hyoscyami, 1½ grs. DAMIAN Æ CUM PHOS. ET NUC. VOM. Med. prop. — Aphrodisiae. Ext. Damianæ, 2 grs.	1 to 2	\$1 50	\$7 25
Phosphori, _{7ds} gr. Ext. Nuc. Vom., ½ gr. DIGESTIVA	1 to 2	75	
Med. prop.—Useful in Indigestion. Pensin Concentrat 1 gr.		13	
Pulv. Nuc. Vom., ¼ gr. Gingerine, ¼ gr. Sulphur. ½ gr. DIGITALIN (Alkaloid), ⅙ gr	1 to 2	75	3 50
EMMENAGOGUE Med. prop.—Active Emmenagogue, Tonic	I to 3	1 25	6 00
Ergotine, 1 gr. Ext. Hellebor. Nig., 1 gr. Aloes, 1 gr. Ferri Sulph. Exs., 1 gr.			-
Ferri Sulph. Exs., 1 gr. Ol. Sabinæ, ½ gr. ERGOTIN. 3 grs	τ to 2	I 50	7 25
Med. prop.—Parturient. FERRUM (Quevenne's). 2 grs Med. prop.—Tonie.	I to 2	75.	3 50
GONORRHŒA Med. prop.—Tonie, Alterative to Mucous Mem-	1 to 3	60	2 75
Pulv. Cubeb, 2 grs. Pulv. Cubeb, 2 grs. Bals. Copaib. Solid., 1 gr. Ferri Sulph., ½ gr. Terebinth. Veuct., 1½ grs.		- 1	
HEPATICA Med. prop.—Cholagogue, Cathartie. Pil. Hydrarg., 3 grs. Ext. Coloe. Comp., 1 gr.	I to a	80	3 75
Ext. Collec Comp., 1 gr. Ext. Hyoseyami, 1 gr. HYDRARGYRI, U. S. P. 3 grs	2 to 3	40	1 75
IPECAC. ET OPII (Pulv. Doveri, U. S. P.). 3½ gr. Med. prop.—Anodyne, Soporific.	ı to 3	50	2 25
Med. prop.—Anodyne, Soporifie,	ı	65	3 00
Mcd. prop.—Gentle Purgative. Pulv. Aloes Soc., r gr.	1 to 2	60	2 75
Sulphur, ½ gr. Res. Podophylli, ½ gr. Res. Guaici, ½ gr. Syr. Rhamni, q. s.			
MORPHINÆ SULPH. 125 gr	1 to 2	40	1 75
MORPHINÆ SULPH. ½ gr	1 to 2	50	2 25
Med. prop.—Anodyne. MORPHINÆ SULPH, % gr	1 to 2	70	2 75 3 25
Med. prop.—Anodyne. MORPHINÆ SULPH. ¼ gr Med. prop.—Anodyne.	1 to 2	90	4 25
MORPHINÆSULPH. ½ gr	ı	I 50	7 25
MORPHINÆ VALERIANAS. 1/8 gr Med. prop.—Anodyne.	I to 2	90	4 25
NEURALGIC. Med. prop.—Tonic, Alterative, Anodyne. Quinina Sulph., 2 grs. Morphina Sulph., 2 gr. Strychnin, 3, gr.	I to 3	2 50	12 25
Strychnin, $\frac{1}{30}$ gr. Acid Arsenious, $\frac{1}{20}$ gr. Ext. Aconiti, $\frac{1}{2}$ gr. NEURALGIC, (One-half Size)	ı to 3	1 50	7 25
Med. prop.—As above.	3	30	, -5

GELATIN COATED PILLS.	DOSE.	PR. 100's	PRICE.	
NEURALGIC. (Brown-Sequard)	Î	2 00	9 75	
Ext. Ayokoyani, 7, gr. Ext. Conii, 3/ gr. Ext. Ignat. Amar., ½/ gr. Ext. Opii, ½/ gr. Ext. Aconiti, ½/ gr. Ext. Cannab. Ind., ¼/ gr. Ext. Stramon., ½/ gr.				
Ext. Belladon., ½ gr. OPII, U. S. P. 1 gr	1	50	2 25	
Med. prop.—Anodyne. OPII ET CAMPHOR Med. prop.—Anodyne, Nerve Sedative. Pulv. Opii, 1 gr. Camphoræ, 2 grs.	I	\$ 60	\$2 75	
PHOSPHORI COMP	ı	1 25		
PHOSPHORI CUM CANTHAR. COMP Med. prop.—Stimulating Emmenagogue and Diu- retic	1 to 2	1 50		
Phosphori, I gr. Pulv. Nuc. Vom., 1 gr. Sol. Cantharidis Con., 1 m.				
PHOSPHORI CUM FERRO	I to 2	1 25		
PHOSPHORI CUM FERRO ET NUC. VOM	1 to 2	1 25		
Ferri Carb., 1 gr. Ext. Nuc. Vom., ¼ gr. PHOSPHORI CUM FERRO ET QUI- NINA Med. prop.—Nerve Tonic. Phosphori, 16g gr. Ferri Carb., 1 gr.	1 to 2	r 60		
Quininæ Sulph., 1 gr. PHOS PHORI CUM FERRO ET QUI- NINA ET NUC. VOM	1 to 2	1 60		
Phosphori, 18s gr. Ferri Carb., 1 gr. Quininæ Sulph., 1 gr. Ext. Nuc. Vom., ¼ gr.				
PHOSPHORI CUM QUININA ET FER- RO ET STRYCHNIN	1	1 60		
Strychnin, Jo gr. PHOSPHORI CUM FERRO ET STRYCH- NIN	1 to 2	1 50		
Phosphori, 110 gr. Ferri Carb., 1 gr. Strychnin., 20 gr. PHOSPHORI CUM NUC. VOM	1 to 2	1 25		
Phosphori, ½ gr. Ext. Nuc. Vom., ½ gr. PHOSPHORI CUM QUININÆ COMP	r	1 35		
Med. prop.—Nerve Tonic, Phosphori, _{fo} gr. Ferri Redact., r gr. Quininæ Sulph., ½ gr. Strychnin., _{fo} gr.				
POTASS. IODID. (Merck's). 2 grs	1 to 3	85	4 00	
PODOPHYLLI, (Dr. E. R. Squibb) Res. Podophylli, ½ gr. Pulv. Capsici, ½ gr. Ext. Belladon., ½ gr. Pulv. Sacch. Lact., 1 gr. Acacia and Glycerine., ãã q. s.	I to 2	75	3 50	
QUININÆ BI-SULPH. ½ gr	1 to 4	45	2 00	
QUININÆ BI-SULPH, 1 gr Med. prop.—Tonic, Anti-periodic.	I to 3	60	2 75	

GELATIN COATED PILLS.	DOSE.		ICE.
QUININÆ BI-SULPH. 2 grs	I to 3	1 00	4 75
QUININÆ BI-SULPH. 3 grs	1 to 2	I 45	7 00
QUININÆ BI-SULPH. 5 grs	1 to 2	2 35	11 50
QUININÆCUM CAPSICUM	1 to 3	1 00	4 75
QUININÆ ET FERRI CIT. 2 grs	1 to 2	90	4 25
QUININÆET FERRIETSTRYCHNIN. Med. prop.—Tonic, Anti-periodic. Quininæ Sulph., 1 gr. Fer. Carb. (Vallett's), 2 grs. Strych. Sulph., 1 d gr.	1 to 2	\$1 00	\$4 75
QUININÆ SULPH. ½ gr	1 to 4	45	2 00
QUININÆ SULPH. 1 gr	1 to 3	60	2 75
QUININÆ SULPH. 2 grs	1 to 3	1 00	4 75
QUININÆ SULPH. 3 grs	1 to 2	1 45	7 00
QUININÆ SULPH. 5 grs	1 to 2	2 35	11 50
SALICYLIC ACID. 2½ grs	I to 2	75	3 50
SEDATIVE Med. prop.—Sedative, Ext. Sumbul, ½ gr. Ext. Valerian, ½ gr. Ext. Hyoscyami, ½ gr. Ext. Cannab. Ind., ¼ gr.	1 to 2	75	3 50

Particular attention given to the Manufacture of Special Formulæ.

ESTIMATES FURNISHED ON REQUEST.



PARVULES.

DOSES FOR FREQUENT REPETITION.

We have prepared this new class of preparations, denominated Parvules to distinguish them from *Pills* and *Granules*. They are designed for the administration of medicines in doses for children, and for frequent repetition in case of adults. It is claimed by some practitioners that small doses given at short intervals exert a more salutary effect.

GRANULES MUST NOT BE SUBSTITUTED FOR PARVULES.

Price 25 Cents per Bottle of 100 Each. \$1.10 in Bottles of 500 Each.

The dose of Parvules will vary from one to four, according to age, or the frequency of their administration. For instance, one Parvule every hour, or two every two hours, and so on, for adults. For children, one three times a day as

every two hours, and so on, for adults. For children, one three times a day as the minimum dose.
ACIDI ARSENIOSI
ACIDI ARSENIOSI
Med. prop.—Antirheumatic. ACIDI TANNICI
Med. prop.—Astringent. ACONITI RAD 1-20 gr.
Med. prop.—Narcotic, Sudorific.
Med. prop.—Cathartic.
Med. prop.—Astringent.
Med. prop.—Astringent. ACONTTI RAD. Med. prop.—Narcotic, Sudorific. ALOIN. Med. prop.—Cathartic. ALUMINIS. Med. prop.—Astringent. AMMONII CHLORIDI. Med. prop.—Diuretic, Stimulant. ANTIMONII ET POTASS. TART. Med. prop.—Expectorant, Alterative. ARNICEF FLOR. Med. prop.—Narcotic, Stimulant, Diaphoretic. ARSENICI IODIDI. Med. prop.—Alterative, Diuretic. CALOMEL. Med. prop.—Alterative, Purgative. CAMPHORÆ. Med. prop.—Diaphoretic, Carminative. CANTHARIDIS. Med. prop.—Diaphoretic, Carminative. CANTHARIDIS. Med. prop.—Stimulant and Carminative. CANTHARIDIS. Med. prop.—Stimulant and Carminative. CATHARTIC COMP. OFFICINAL. Med. prop.—Stimulant and Carminative. CATHARTIC COMP. IMPROVED. Med. prop.—Cathartic. DIGITALIS FOL. Med. prop.—Scalative, Narcotic, Diuretic. DOVER'S POWDER. Med. prop.—Scalative, Narcotic, Diuretic. GELSEMINI RAD. Med. prop.—Bennenagogne, Parturient. FERRI REDUCTI. Med. prop.—Remnenagogne, Parturient. FERRI REDUCTI. Med. prop.—Nervons and Arterial Sedative. MyDRARG. BI-CHLOR. MyDRARG. BI-CHLOR. Med. prop.—Nervons and Arterial Sedative. MyDRARG. GUM CRETA. 1-10 gr. Med. prop.—Nervons and Arterial Sedative. MyDRARG. GUM CRETA. 1-10 gr. Med. prop.—Nervons and Arterial Sedative. MyDRARG. GUM CRETA. 1-10 gr. Med. prop.—Nervons and Arterial Sedative. MyDRARG. GUM CRETA. 1-10 gr. Med. prop.—Nervons and Arterial Sedative. MyDRARG. GUM CRETA. 1-10 gr. Med. prop.—Alterative. HyDRARG. 10DID VIR Med. prop.—Alterative. HyDRARG. 1-20 gr. Med. prop.—Alterative. HyDRARG. 1-20 gr. Med. prop.—Benetic. Expectorant. Mod. prop.—Benetic. Expectorant. Mod. prop.—Benetic. Expectorant. Med. prop.—Benetic. Expectorant. Med. prop.—Pornoic, Stimulant. Med. prop.—Narcotic, Sedative, Anodyne.
Med. prop.—Expectorant, Alterative.
Med. prop.—Narcotic, Stimulant, Diaphoretic.
Med. prop.—Alterative.
Med. prop.—Narcotic, Diaphoretic, Diuretic.
Med. prop.—Alterative, Purgative.
Med. prop.—Diaphoretic, Carminative.
Med. prop.—Diuretic. Stimulant.
Med prop - Stimulant and Corminative
CATHARTIC COMP. OFFICINAL
CATHARTIC COMP. IMPROVED 1-3 gr.
DIGITALIS FOL. 1-20 gr.
DOVER'S POWDER
Med. prop.—Anodyne, Soporific. ERGOTIN 在1-10 gr.
Med, prop.—Emmenagogue, Parturient. FERRI REDUCTI
Med. prop.—Tonic. GELSEMINI RAD1-50 gr.
Med. prop.—Nervous and Arterial Sedative. HYDRARG. BI-CHLOR1-100 gr
Med. prop.—Morcurial, Alterative.
Med. prop.—Alterative,
Med. prop. —Alterative.
Med. prop.—Tonic, Astringent.
Med. prop.—Alterative.
Med. prop.—Emetic, Expectorant.
MORPHINÆ SULPH 1-50 gr. Med. prop.—Narcotic. Sedative.
NUCIS VOMICÆ
OPII
PHOSPHORUS
PIPERINÆ 1-20 gr.
PODOPHYLLINI 1-40 gr.
POTASSII BROMIDI
Med. prop.—Alterative, Resolvent. POTASSII ARSENITIS1-100 gr.
Med. prop.—Alterative. POTASSII NITRATIS
Mcd. prop.—Diurctic and Refrigerant. QUINIÆ SULPHATIS
Med. prop.—Tonic, Antiperiodic.
NUCIS VOMICA:
Med. prop.—Nerve Stimulant, Tonic.
the control of the co

PARVULES.

ALDIN, Parv. 1-10 gr.

Med. Prop .- A most desirable Cathartic.

The most useful application of these Parvules is in periodic irregularities—Dysmenorrhoa and Ammenorrhoa. They should be given in doses of one or two every evening at and about the expected time.

Dose.—4 to 6 at once. This number of Parvules taken at any time, will be found to exert an easy, prompt and ample cathartic effect, unattended with nausea, and in all respects furnishing the most desirable aperient and cathartic preparation in use. For habitual constipation, they replace when taken in single parvules, the various medicated waters, avoiding the quantity required by the latter as a dose, which fills the stomach and deranges the directive or come. digestive organs.

CALOMEL, Parv. 1-20 gr.

Med. Prop.-Alterative, Purgative.

Two Parvules of Calomel, taken every hour, Dose .- 1 to 2 every hour. until five or six doses are administered, (which will comprise but halfa grain), produce an activity of the liver, which will be followed by bilious dejections and beneficial effects, that twenty grains of Blue Mass or ten grains of Caloniel rarely cause, and sickness of the stomach does not usually follow.

PODOPHYLLIN, Parv. 1-40 gr.

Med. Prop.-Cathartic, Cholagogue.

Two Parvules of Podophyllin, administered three times a day will re-establish and regulate the peristaltic action and relieve habitual constipation add tone to the liver, and invigorate the digestive functions.

THE GREAT GERMICIDE.

Corros. Sublimate, Parv. 1-100 gr.

Med. Prop .- An Alterative and Germicide.

Recently, Corros. Sub., in small doses, has been administered with most gratifying results in certain forms of Chronic Dyspepsia.

Dos.—One Parvule, repeated according to the age or nature of the disease. Riuger and other eminent therapeutists extol very highly 1-100 gr. in dysentery of children, regarding it as almost as specific.

PREPARD ONLY BY

WILLIAM R. WARNER & CO.

Although a practitioner of overforty years, I think I may feel privileged to express my great pleasure and appreciation of the new class of remedies prepared by you, called "Parvules," I regard them the greatest improvement in modern medicine, and I could scarcely practice my profession without them, as they are so handy, so convenient and easily taken by children and adults, Their most important quality is their unvarying and reliable strength and efficacy. I can obtain with a grain or less of Calomel, with a grain or less of Aloin, and with a grain or less of Podophyllin, divided respectively into the tenth, twentieth, or fortieth of a grain, in "Parvules," all that I could desire in most cases, and in a more satisfactory manner than in the usual form. I have used successfully a "Parvulu" of one-fiftieth of a grain of Sulph. Morphia repeatedly for two or three hours, and have relieved pain without the least nausea or voniting in patients that could not bear opiates in any other form; I do not know what to attribute this to, except the peculiar mode of preparing the "Parvuls," as they are so readily dissolved and absorbed after being taken, and in indorsing them I must disclaim any favoritism or sympathy with Homepathy; a Parvule given every hour it will be seen is not Homepathy, in theory or practice. I usually give two Parvules of Calomel every hour until six or seven doses are taken, and the result is the same as with ten grains of the same, without the embarrassing effect. I give four or five Parvules of Aloin, the effect is the same as four or five Cathartic Pills, also with the Podophyllin Parvules; they will relieve habitual constipation, derangement of the liver and digestive organs, if given, one two or three times a day.

I have no doubt that every practitioner who will use these "Parvules" will find the same results which convinced me of their importance and convenience. I have no other medicine chest in my daily rounds, than my pocket case of Parvules.


Yours very truly, To Messrs. Wm. R. Warner & Co.

GEORGE P. REX, M. D., Reaville, N. J.

WARNER & CO.'S

NON-SECRET

Specialties for Druggists




VEGETABLE

MANDRAKE LIVER PILLS.

25 Pills in each oval box with oblong carton, any name and address ready for sale.

Per Gross, \$7.00

SPECIAL FIGURES GIVEN FOR LARGE LOTS.



WARNER & CO'S

VEGETABLE

MANURAKE

Liver Pills

1,000, 90 cts.

10,000, \$8.00

Special quotations for large lots in bulk.

PREPARED BY

WILLIAM R. WARNER & CO.

MANUFACTURING CHEMISTS,

PHILADELPHIA AND NEW YORK.

WARNER & CO.'S

STANDARD PERFUMES.



07-10

PUT UP IN

Warner's Patent Bottles

WITH HANDSOME

GLASS LABELS.



These Perfumes are unexcelled by any offered. They possess qualities of delicacy and durability which make them favorites with the trade and public.

LIST OF ODORS AND PRICES.

JOCKEY CLUB, WEST END, FRANCIPANN

FRANGIPANNI,
YLANG YLANG,

White Rose,
Jasmine,
Tuberose,
Bouquet,

New-Mown Hay, Heliotrope, Violet, Musk.

PRICE, \$3.00 PER PINT, in Warner's Patent Bottles.

PRICE, \$2.50 PER PINT, in ordinary bottles.

WARNER & CO.'S SACHET POWDERS.



The following variety of odors will be found delicate and very lasting, and equal in all respects to anything of the kind hitherto offered to the trade.

They are sold at the prices annexed, in ordinary widemouth corked bottles.

When put up in Warner's patent bottle with handsome glass label, an additional charge of 50 cts. per pint bottle, and 78 cts. per quart bottle, is made.



LIST OF ODORS AND PRICES.

FRANGIPANNI,
JOCKEY CLUB,

BOUQUET, YLANG YLANG,

...

MILLEFLEUR,
WEST END,
NEW-MOWN HAY,
MUSK,

HELIOTROPE,
MIGNONETTE,
Y, VIOLET,

ROSE TRIPLE

Price per pound, half pound bottles, \$2.50
" " quarter" " 2.75

PREPARED BY

WM. R. WARNER & CO.,

Manufacturing Chemists,

1228 Market St., Philadelphia; 22 Liberty St., N.Y.

WILLIAM R. WARNER & CO.'S

Standard Medicinal Fluid Extracts.

DIRECTIONS FOR MAKING WINES, SYRUPS, AND TINCTURES, THEIR DOSES AND MEDICAL PROPERTIES ON EACH LABEL.

REPORT OF FRANKLIN INSTITUTE, EXHIBITION OF AMERICAN MANUFACTURERS: "Fluid Extracts manufactured by Wm. R. Warner are well made and above the standard of commercial articles of the kind,"—Edward Parrish and others, Committee.

FLUID EXTRACTS.	Dose in Minims.	Price per Pint.
ACONITE LEAVES (Aconitum Napellus)	1 to 5	\$1 00
ACONITE ROOT (Aconitum Napellus)	1 to 3	1 10
AGRIMONY, U. S. P., (Agrimonium Eupatoria) Med. prop.—Astringent, Stimulant. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. Syrup—F. E. 2 fl. oz., Simp. Syrup 14 fl. oz. Wine—F. E. 2 fl. oz., Sherry Wine 14 fl. oz.	30 to 60	1 00
AILANTHUS GLANDULOSA		1 90
ALOES (Aloe Socotrina)	10 to 20	1 50
ALSTONIA CONSTRICTAMed. prop.—Used in Malaria.		3 ∞
ANAGALLIS ARVENSIS (Scarlet Pimpernel) Med. prop.—Used in Rheumatism.	01	2 00
ANGELICA (Angelica Archangelica)	30 to 60	1 40
ARBOR VITÆ (Thuya Occidentalis)	30 to 60	I 20
ARECA NUTS (Areca Catechu)	60 to 360	1 8o
ARNICA FLOWERS (Arnica Montana)	10 to 30	1 00
ARNICA ROOT	4 to 15	1 25
AROMATIC, U. S. P. Med. prop.—Aromatic.	1	2 00
BAEL FRUIT (Ægle Marmelos) Med. prop.—Astringent.		2 00
BALM (Meissa Officinalis)	-	
BALMONY (Chelone Glabra)	30 to 60	80
DATE DATE OF THE PARTY OF THE P	30 to 60	1 00

FLUID EXTRACTS.	Dose in Minims.	Price per Pint,
BAYBERRY (Myrica Cerifera)	30 to 60	\$0 75
BAY LAUREL (Myrica Acris)		3 20
BEARSFOOT (Polymia Uvedalia)	5 to 10	1 50
BEILADONNA FOL. (Atropa Belladonna)	2 to 5	1 30
Med. prop.—Narcotic, Diaphoretic, Diuretic, Tineture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. BELLIADONNA ROOT, U. S. P., (Atropa Bella-		
donna) Med. prop.—Alterative, Diuretic, Diaphoretic.	1 to 3	1 30
BERBERIS AQUIFOLIUM	15 to 60	1 75
BETH ROOT (Trillium Pendulum)	60 to 120	90
Med. prop.—Astringent.	20 to 30	1 35
Med. prop.—Mildly Narcotic, Astringent.		x 60
BITTER ROOT (Apolynum Andros@mifolium) Med. prop.—Emetic, Diaphoretic, Tonic. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.	10 to 50	1 05
BITTERSWEET (Solanum Dulcamara)	30 to 60	80
BLACK ALDER (Prinos Verticidatus)	30 to 60	75
BLACKBERRY ROOT (Rubus Villosus)	30 to 60	80
BLACK COHOSH (Cimicifuga Racemosa)	30 to 60	1 05
BLACK HAW (Viburnum Prunifolium) Med. prop.—Antispasmodic, Diuretic, Tonic. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.	60 to 120	1 10
BLACK PEPPER (Piper Nigrum)	10 to 20	1 50
BLACK WALNUT LEAVES (Juglans Nigra)		1 75
BLESSED THISTLE (Centaurea Benedicta)	20 to 60	95
BLOODROOT (Sanguinaria Canadensis) Med. prop.—Emetic, Stimulant, Expectorant. Tincture, U. S. P.—F. E. 3 fl. oz., Alcohol 10 fl. oz. Vinegar—F. E. 2 fl. oz., Dil. Acetic Acid 14 fl. oz.	2 to 40	90
BLUE COHOSH (Caulophyllum Thalictroides)	10 to 40	90
When ordering or prescribing be careful to specify WAR	NER &	CO'S

FLUID EXTRACTS.	Dose in Minims.	Price per Pint.
BLUE FLAG (Iris Versicolor)	20 to 40	\$1.00
Med. prop.—Alterative, Diuretic. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. Syrup—F. E. 2 fl. oz., Syrup 14 fl. oz. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.	10 10 40	pr 00
BLUE GENTIAN (Gentiana Catesbæi)	15 to 30	1 50
BOLDO LEAVES (Pneumus Boldo)	1 to 5	3 40
·		
BONESET (Eupatorium Perfoliatum)	30 to 60	80
Med. prop.—Demulcent, Refrigerant.	20 to 60	1 00
BROOM (Cytisus Scoparius)	30 to 60	90
Med. prop.—Diuretic, Cathartic, Emetic. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. Syrup—F. E. 2 fl. oz., Simp. Syrup 14 fl. oz. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.		
BU~TU (Barosma Betulina)	30 to 120	7 2"
ed. prop.—Stimulant, Diuretic, Diaphoretic.		1 35
BUCHU LONGLEAF	30 to 60	1 90
BUCHU COMPOUND	5 to 60	1 30
Containing Buchu, Cubebs, Uva Ursi and Juniper. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.		
BUCHU AND PAREIRA BRAVA Med. prop.—Diuretic. Tincture—F. E. 4 fl. oz., Dil. Alcohol 8 fl. oz., Water 4 fl. oz.	30 to 60	1 50
BUCKBEAN LEAVES (Menyanthos Trifoliata) Med. prop.—Tonic, Purgative.	20 to 30	1 10
BUCKEYE BARK (Æsculus Glabra)	30 to 60	1 10
BUCKTHORN (Rhamnus Catharticus)	60 to 120	90
BUCKTHORN BARK, U. S. P. (Rhamnus Fran-	60 to 120	I 00
BUGLEWEED (Lycopus Virginicus)	60 to 120	85
Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.	_	
	30 to 60	90
BURDOCK SEED (Lappa Minor)	30 to 60	1 20
BUTTERNUT BARK (Juglans Cinerea)	60 to 120	85
Med. prop.—Mild Cathartic. Tincture—F. E. 4 fl. oz., Dil. Alcohol 12 fl. oz. Syrup—F. E. 4 fl. oz., Simp. Syrup 11 fl. oz., F. E.		
Syrup—F. E. 4 fl. oz., Simp. Syrup 11 fl. oz., F. E. Cassia 1 fl. oz.		
BUTTON SNAKEROOT (Liatris Spicata)	40 to 80	90
Med. prop.—Diuretic, Tonic, Stimulant, Emmenagogue. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.	40 10 00	90
CALABAR BEAN (Physostigma Venenosum)	1 to 3	3 10
CALAMUS (Acorus Calainus)	20 to 60	1 10
CALENDULA FLOWERS (Calendula Officinalis) Med. prop.—Antispasmodic, Sudorific.	60 to 120	2 25
CALIFORNIA FEVER BUSH (Garrya Fremontii) Med. prop.—Tonic, Anti-intermittent, Sedative.	5 to 30	3 50
When ordering or prescribing be careful to specify WARN	NER &	co's

		A STATE OF STREET
FLUID EXTRACTS.	Dose in Minims.	Price per Pint.
CALIFORNIA LAUREL (Umbellaria Californica) Med. prop.—Used in Nervous Headache, Atonic Diar- rhœa, etc.	5 to 20	\$4 00
CANCER ROOT (Orobanche Virginica)		1 50
CANELLA (Canella Alba)	20 to 30	85
CANTHARIDES (Cantharis Vesicatoria) For External Use.		3 50
CARAWAY (Carum Carui)	30 to 60	1 10
CARDAMOM COMPOUNDCardamom, Caraway and Cinnamon. Med. prop.—Aromatic, Carminative; useful as an adju-	20 to 40	2 60
Vant. Tincture, U. S. P.—F. E. 1 fl. oz., Honey 1 fl. oz., Dil. Alcohol 18 fl. oz.		
CARDAMOM SEEDS (Elettaria Cardamomum) Med. prop.—Aromatic, Stimulant.	20 to 40	4 15
CAROBA LEAVES (Jacaranda Procera)		3 50
CASCARA AMARGA	60 to 120	3 00
CASCARA SAGRADO	60 to 240	2 00
CASCARILIA (Croton Eluteria)	20 to 40	90
CASSIA (Cinnamonum Cassia)	15 to 30	1 60
CASTOR LEAVES (Ricinus Communis)	60 to 240	1 60
CATECHU (Acacia Catechu)	10 to 35	1 10
CATNEP (Nepeta Cataria) Med. prop.—Carminative, Diuretic, Diaphoretic. Syrup—F. E. 2 fl. oz., Simp. Syrup 14 fl. oz. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.	60 to 180	80
CAYENNE (Capsicum Annuum)	5 to 20	1 60
CEDRON SEED (Sinaba Cedron)	ı to 8	5 00
CELERY SEED (Apium Graveolens)	20 to 40	1 50
CENTAURY (Sabbatia Angularis)	30 to 60	90
CERCIS CANADENSIS Med. prop.—Claimed to be a positive remedy in Chronic Diarrhoea, Dysentery, etc.	15 to 30	3 00
CEREUS GRANDIFLORUS		4 00
CEREUS McDONALDII		5 00
CEVADILLA SEEDS (Veratrum Sabadilla)	5 to 20	1 80
When ordering or prescribing be careful to specify WAR	NER &	CO'S

		-
- FLUID EXTRACTS.	Dose in Minims.	Price per Pint.
CHAMOMILE (Anthemis Nobilis) Med. prop.—Tonic, Diaphoretic. Infusion—F. E. ½ fl. oz., Water 15½ fl. oz.	20 to 60	\$i io
CHAMOMILE GERMAN (Matricaria Chamomilla) Med. prop.—Tonic.	30 to 60	1 20
CHESTNUT LEAVES (Castanea Vesca)	60 to 120	90
8 fl. oz. Syrup—F. E. 4 fl. oz., Simp. Syrup 12 fl. oz. Infusion—F. E. ½ fl. oz., Hot Water 1 pint.		
CHEWSTICK (Goyana Domingensis)	30 to бо	2 00
CHIRETTA (Ophelia Chiratta) Med. prop.—Bitter Tonic. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. Infusion—F. E. ½ fl. oz., Hot Water 16 fl. oz.	20 to 30	I 35
CINCHONA AROMATICContaining Cinchona, Orange Peel, Coriander, Caraway, Cinnamon, and Serpentaria.	30 to 6 0	1 90
Med. prop.—Aromatic, Tonic, Antiperiodic. Tincture—F. E. 4 fl. oz., Dil. Alcohol 8 fl. oz., Water 4 fl. oz.		
CINCHONA CALISAYA (Cinchona Flava)	20 to 60	3 00
15 fl. oz. Wine-F. E. 2 fl. oz., Deod. Alcohol 1 fl. oz., Sherry Wine 13 fl. oz.		
CINCHONA COMP	30 to 60	2 00
Med. prop.—Stomachic, Cordial, Tonic. Tincture—F. E. 4 fl. oz., Dil. Alcohol 1 pt.		
Med. prop.—Tonic, Antiperiodic.	65 to 120	
CINCHONA RUBRA	20 to 60	3 00
CLEAVERS (Galium Aparine)	40 to 80	80
CLOVES (Caryophyllus Aromaticus)	5 to 10	¥ 35
	60 to 120	2 25
Water 2 fl. oz. Infusion—F. E. 2 fl. oz., Cold Water 10 fl. oz., Lime- Water 4 fl. oz.		
Use Warner's Liq. Coca. COFFEE, FOR SYRUP (Caffea Arabica) Med. prop.—Antisoporific, Anti-Emetic, Stimulant.	120 t0 240	1 50
		1 10
COLCHICUM ROOT (Colchicum Autumnale)		
GOLCHICUM SEED (Colchicum Autumnale)	5 to 15	x 40
COLTSFOOT (Tussilago Farfara)		80
COLUMBO (Cocculus Palmatus)	20 to 40	1 05
When ordering or prescribing be careful to specify WAR	NER &	CO'S

	D :-	Price
FLUID EXTRACTS.	Dose in Minims.	mare
COMFREY (Symphytum Officinale)	120t0240	\$0 90
Med. prop.—Demulcent, Astringent. Syrup—F. E. 2 fl. oz., Simp. Syrup 14 fl. oz. Wine—F. E. 2 fl. oz., Sherry Wine 14 fl. oz.		
CONIUM, U. S. P., (Conium Maculatum—green unripe fruit).	3 to 5	1 25
Med. prop.—Narcotic, Sedative. Tincture, U. S. P.—F. E. 2½ fl. oz., Dil. Alcohol 1 pt.		
CONIUM LEAF (Conium Maculatum)	5 to 20	1 05
CORIANDER (Coriander Sativum) Med. prop.—Aromatic, Stimulant; employed as an adjuvant.	20 to 60	1 10
CORN ERGOT (Ustilago Maidis) Tincture—F. E. 2 fl. oz., Dil, Alcohol 14 fl, oz.	10 to 20	I 30
CORN SILK (Stigmata Maidis)		1 25
COTO BARK. Med. prop.—Recommended in Dysentery, Diarrheea, Neuralgia, Rheumatism, and Gout. Tincture—F. E. 2 fl. oz., Alcohol 10 fl. oz., Water	2 to 10	3 60
4 11. 02.		
COTTON ROOT BARK (Gossypium Herbaceum) Med. prop.—Emmenagogue, Parturient. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. Syrup—F. E. 2 fl. oz., Simp. Syrup 14 fl. oz. Infusion—F. E. 4 fl. oz., Hot Water 12 fl. oz.	60 to 240	1 10
CRAMP BARK (Viburnum Opulus)	40 to 80	85
Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. Syrup—F. E. 2 fl. oz., Simp. Syrup 14 fl. oz. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.		
CRANESBILL (Geranium Maculatum)	30 to 60	90
CRAWLEY ROOT (Corallorhiza Odontorhiza) Med. prop.—Diaphoretic.	15 to 30	4 00
CUCUMBER TREE (FLOWERS) (Magnolia Acuminata)	30 to 60	3 00
CUBEBS, ALCOHOLIC (Piper Cubeba)	30 to 60	3 00
CULVER'S (Leptandra Virginica)	20 to 60	1 30
CUNDURANGO (Equatoria Garciana)	10 to 30	2 50
DAMIANA (Turnera Aphrodisiaca)	30 to 60	1 8o
DANDELION (Taraxacum Dens-Leonis)	60 to 120	1 10
	60 to 120	
DANDELION AND SENNAMed. prop.—Alterative, Aperient, Diuretic, Laxative.	30 to 120	90
DEER TONGUE (Liatris Odoratissima)	30	1 29
DITA BARK (Alstonia Scholaris) Med. prop.—Said to be a substitute for Cinchona bark in the treatment of fever and ague.	a 25 8	2 25
DOG GRASS (Triticum Repens)	60 to 120	95
When ordering or prescribing be careful to specify WAR	NER &	CO'S

chari		-	
	FLUID EXTRACTS.	Dose in Minims.	Price per Pint.
	Med. prop.—Tonic, Astringent, Antiperiodic. Tincture—F. E. 4 fl. oz., Dil. Alcohol 12 fl. oz., Syrup—F. E. 4 fl. oz., Simp. Syrup 12 fl. oz. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.	30 to 120	\$0 85
-	DOGWOOD JAMAICA (Piscidia Erythrina)	30 to 60	1 50
-	DUBOISIA LEAVES (Duboisia Myoporoides)		4 00
	DWARF ELDER (Aralia Hispida)	60 to 120	1 00
	ELDER FLOWERS (Sambucus Canadensis)	30 to 120	90
	ELECAMPANE (Inula Helenium)	20 to 60	85
-	ELEPHANT'S FOOT (Elephantopus Tomentosus) Med. prop.—Diaphoretic, Expectorant.		3 00
	EPHEDRA ANTISYPHILITICA		2 80
		10 to 60	1 50
-	ERGOT (Claviceps Purpurea)		
	ERGOT ETHEREAL (Claviceps Purpurea)		
	EUCALYPTUS GLOBULUS	60 to 120	1 30
	EUPHORBIA PILULIFERA Med. prop.—Recommended in Asthma.		4 00
	EUROPEAN ELDER BARK (Sambucus Nigra) Med. prop.—Hydragogue Cathartic.		1 45
	EVENING PRIMROSE (Enothera Biennis)	10 to 60	1 10
	FENNEL SEED (Faniculum Vulgare)	20 to 30	I 20
	FEVERBUSH BERRIES (Benzoin Odoriferum) Med. prop.—Claimed to have some reputation as a Vermifuge.	01	1 20
	FEVERFEW (Pyrethrum Parthenium)	30 to 60	1 00
	FIGWORT (Scrophularia Nodosa)		1 8o
	FTREWEED (Erechthites Hieracifolia)	30.tu 60	90
	FISH BERRIES (Cocculus Indicus)		96
	FIVE-FLOWERED GENTIAN (Gentiana Quinqueffora)	20 to 60	2 00
	FIEABANE (Erigeron Canadense)	60 to 120	90
Annual Property and an address of the last	When ordering or prescribing be careful to specify WAR	NER &	CO'S

FLUID EXTRACTS.	Dose in Minims.	Price per Pint.
FOXGLOVE (Digitalis Purpurea)	2 to 5	\$1 00
FRINGE TREE (Chionanthus Virginica)	60 to 120	1 05
FROSTWORT (Helianthemum Canadense)	30 to 60	1 00
GALLS (Galla)	10 to 40	1 10
GARLIC ACETIC (Allium Sativum)	1	68
GELSEMIUM (Gelsemium Sempervirens) Med. prop.—Sedative, Relaxant, Febrifuge. Tincture, U. S. P.—F. E. 2 fl. oz., Alcohol 12 fl. oz.		1 10
GENTIAN (Gentiana Lutea)	30 to 6 0	80
GENTIAN COMPOUND		j l
GILLENIA (Gillenia Trifoliata)	20 to 30	75
GINGER (Zingiber Officinale)	10 to 30	1 15
GINGER, SOLUBLE, FOR SYRUP	30 to 6	1 00
GOLDEN ROD. (Solidago Odora)	30 to 60	90
GOLDEN SEAL (Hydrastis Canadensis)	30 to 60	1 20
GOLDEN SEAL WITHOUT ALCOHOL (Hydrastis Canadensis) Med. prop.—Aperient, Tonic, Deobstruent.	10 to 40	1 00
GOLDTHREAD (Coptis Trifolia)	20 to 60	1 30
GRAVEL PLANT (Epigaa Repens)		
GREAT CELANDINE (Chelidonium Major)	20 to 40	1 00
GRINDELIA ROBUSTA. Med. prop.—Used as a remedy for Asthma. Tincture—F. E. 2 fl. oz., Alcohol 10 fl. oz., Water 4 fl. oz	3 · to 60	1 50
GRINDELIA SQUARROSARecommended as an Antisplenetic and A1 dimelarial. Tincture—F. E. 2 fl. oz., Alcohol 10 fl. oz., Water 4 fl. oz	30 to 60	1 50
GUACO LEAVES (Mikania Guaco)	31 to 60	2 40
When ordering or prescribing be careful to specify WAR	NER &	CO'S

	_	_
FLUID EXTRACTS.	Dose in Minims.	Price per Pint.
GUAIAC WOOD (Guaiacum Officinale)	60 to 120	\$0 8 ₅
GUARANA (Paullinia Sorbilis)		3 50
HAIR-CAP MOSS (Polytrichum Juniperum) Med. prop.—Powerful Diuretic.	60 to 240	1 00
HARDHACK (Spiraa Tomentosa)	10 to 20	75
HELIANTHELLA (Helianthella Tenuifolia) Med. prop.—Aromatic Expectorant, Used in Chronic Bronchitis, Asthma, etc.		3 00
HELLEBORE, AMERICAN (Veratrum Viride) Med. prop.—Arterial Sedative. Tincture—F. E. 8 fl. oz., Alcohol, pur. 8 fl. oz.	1 to 4	I 20
HELLEBORE, BLACK (Helleborus Niger)	10 to 20	1 00
HEMLOCK BARK (Abies Canadensis)		1 10
HENBANE (Hyoscyamus Niger)	5 to 15	1 25
HOPS (Humulus Lupulus) Med. prop.—Tonic, Mild Narcotic. Tincture—F. E. 3 fl. oz., Dil. Alcohol 13 fl. oz. Syrup—F. E. 2 fl. oz., Simp. Syrup 13 fl. oz., Alcohol 1 fl. oz. Infusion—F. E. 4 fl. dr., Hot Water 15½ fl. oz.	30 to 60	1 50
HOREHOUND (Marrubium Vulgare)	30 to 60	85
HORSE-CHESTNUT BARK (Æsculus Hippocas- tanum)	60 to 120	I 15
HORSE RADISH (Cochlearia Armoracia)	15 to 30	I 20
HOUND'S TONGUE (Cynoglossum Officinale)		I 35
HYDRANGEA (Hydrangea Arborescens) Med. prop.—Diuretic, Antilithic. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. Syrup—F. E. 4 fl. oz., Simp. Syrup 12 fl. oz. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.	30 to 120	90
HYSSOP (Hyssopus Officinalis)	30 to 60	1 00
IGNATIA BEAN (Ignatia Amara)	2 to 5	1 80
INDIAN HEMP (Cannabis Indica) Med. prop.—Narcotic, Antispasmodic. Tincture—F. E. 4 fl. oz., Alcohol 16 fl. oz.	5 to 15	1 55
INDIAN HEMP, BLACK (Apocynum Cannabinum) Med. prop.—Enietic, Diaphoretic.	10 to 30	I 20
INDIAN TUENIP (Arum Triphyllum) Med. prop.—Acrid Expectorant, Diaphoretic. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz.	10 to 20	1 20
IPECAC. (Cephaelis Ipecacuanha)	5 to 60	5 00
When ordering or prescribing be careful to specify WAR	NER &	co's

FLUID EXTRACTS.	Dose in Minims.	Price per Pint.
JABORANDI (Pilocarpus Pinnatus)		\$1 50
JALAP (Exogonium Purga) Med. prop.—Cathartic. Tincture—F. E. 3 fl. oz., Alcohol 9 fl. oz., Water 4 fl. oz.		z 60
JERSEY TEA (Ceanothus Americanus)		I 20
JOHNSWORT (Hypericum Perforatum)	30 to 60	I 00
JUNIPER BERRIES (Suniperus Communis)	60 to 120	85
KAMAIA (Rottlera Tinctoria) Med. prop.—Vermifuge. Syrup—F. E. 6 fl. oz., Simp. Syrup 10 fl. oz.	120t0240	2 30
KAVA-KAVA (Piper Methysticum)	30 to 60	1 8o
Tincture—F. E. 3 fl. oz., Dil. Alcohol 13 fl. oz. KINO (Pterocarpus Marsupium) Inspissated juice.	10 to 30	1 50
KOOSO (Brayera Anthelmintica)	30 to 60	1 8o
LACTUCARIUM Med. prop.—Sedative, Soporific. Syrup—F. E. r fl. oz., Simp. Syrup 15 fl. oz.		6 00
LADIES' SLIPPER (Cypripedium Pubescens)	30 to 60	1 10
LETTUCE (Lactuca Sativa)	20 to 60	1 10
LICORICE (Glycyrrhiza Glabra)	60 to 120	80
LICORICE, FOR QUININE MIXTURES Med. prop.—Demulcen*. Used for masking the tastc of Quinine.	60 to 120	80
LIFE EVERLASTING (Gnaphalium Polycephalum) Med. prop.—Aromatic, Astringent.	60 to 120	70
LIFE ROOT (Senecio Aureus)	3 0 to ნა	85
LIVERWORT (Hepatica Americana)	60 to 180	1 20
LOBELIA (Lobelia Inflata)	5 to 60	95
LOBELIA COMPOUND	10 to 60	1 00
LOVAGE (Ligusticum Levisticum)	30 to 60	1 00
LUNGWORT (Pulmonaria Officinalis)	30 to 60	1 00
LUPULIN (Humulus Lupulus)	15 to 30	3 00
When ordering or prescribing be careful to specify WAR	NER &	CO'S

FLUID EXTRACTS.	Dose in Minims.	Price per Pint.
MACE (Myristica Fragrans) Med. prop.—Aromatic, Narcotic.	5 to 20	\$2 25
MAGNOLIA BARK (Magnolia Glauca)	. 30 to 60	I 20
MALE FERN (Aspidium Filix Mas)	60 to 180	1 20
MANDRAKE (Podophyllum Peltatum)	30 to 60	95
MANGO BARK (Mangifera Indica)	n	3 00
MANZANITA LEAVES (Arctostaphylos Glauco Lind)	60 to 120	2 00
MARSHMALLOW (Althea Officinalis)	30 to 60	85
MARSH ROSEMARY (Statice Caroliniana)	•	1 00
MASTERWORT (Heracleum Lanatum)	60 to 180	I 20
MATICO (Piper Augustifolium)	. 30 to 120	1 60
MERCURY WEED (Mercurialis Annua)	-	3 50
MEZEREON BARK, U.S.P. (Daphne Mezereum). Med. prop.—Emetic, Purgative, Kidney Stimulant.	5 to 15	1 10
MISTLETOE (Viscum Album)	30 to 60	1 00
MOTHERWORT (Leonurus Cardiaca)	. 20 to 60	1 00
MUGWORT (Artenisia Vulgaris)	. 20 to 40	90
MULLEIN (Verbascum Thapsus) Med. prop.—Demulcent, Emollient. Infusion—F. E. 1 fl. 0z., Water 15 fl. oz.	. 30 to 60	80
MYRRH (Balsamodendron Myrrha) Med, prop.—Stimulant. Tincture—F. E. 3 fl. oz., Alcohol 12 fl. oz.	. 5 to 20	1 70
NUX VOMICA (Strychnos Nux Vomica)	. 1 to 5	1 10
OPIUM AQUEOUS Mcd. prop.—Narcotic, Stimulant. The F. E. Opium is of the same strength as Laudanum but denarcotized, and is largely used. Each fluid ounce represents 48 grs. opium.		2 00
OPIUM CAMPHORATED (for making Paregoric) For making Tinct. Opii. Campk., U. S. P.	5 to 20	1 8o
ORANGE PEEL (Citrus Aurantium)	. 30 to 120	90
ORANGE PEEL, BITTER, U.S. P	. 30 to 60	90
ORRIS ROOT (Iris Florentina)	. 60 to 120	95
PANSY (Viola Tricolor)	15 to 60	1 20
When ordering or prescribing be careful to specify WAF	NER &	CO'S

	A CONTRACTOR OF THE PARTY OF TH	No.
FLUID EXTRACTS.	Dose in Minims.	Price per Pint.
PARAGUAY TEA (Ilex Paraguayensis) Med. prop.—Stimulant, Nervine.	30 to 60	\$1 8o
PAREIRA BRAVA (Cissampelos Pareira)	30 to 60	1 35
PARSLEY ROOT (Petroselimum Satioum) Med. prop.—Aperient, Diuretic.	5 to 15	1 20
PARSLEY SEED (Petroselinum Sativum) Med. prop.—Similar to the Root.	5 to 15	1 35
PAWPAW SEEDS (Uvaria Triloba)	10 to 30	1 20
PEACH LEAVES (Amygdalus Persica)	5 to 10	1 25
PELLITORY (Anacyclus Pyrethrum) Med. prop.—Stimulant, Irritant.	30 to 60	1 49
PENNYROYAL (Hedeoma Pulegioides)		90
PENTHORUM SEDOIDES	10 t0 20	2 40
PEPPERMINT (Mentha Piperita)	30 to 60	90
PERSIMMON BARK (Dyospyros Virginiana)		1 20
PINKROOT (Spigelia Marilandica)	60 to 120	1 35
PINKROOT ET SENNA	30 to 240	1 20
PIPSISEWA (Chimaphila Umbellata)	20 to 60	85
PITCHER PLANT (Sarracenia Purpurea)	20 to 60	1 50
PLEURISY ROOT (Asclepias Tuberosa)	30 to 60	1 10
POISON OAK (Rhus Toxicodendron)	5 to 10	1 40
POKE BERRIES (Phytolacca Decandra)	30 to 60	1 50
POKE ROOT (Phytolacca Decandra)	1 to 30-	80
POMEGRANATE, BARK OF ROOT (Punica Granatum)	120t0480	1 03
POPLAR BARK (Populus Tremuloides)	60 to 120	90
POPPIES (Papaver Sonniferum)		95
PRICKLY ASH BARK (Xanthoxylum Fraxineum) Med. prop.—Stimulant, Tonic, Alterative, Sialagogue. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. Infusion—F. E. 1 fl. oz., Water 15 fl. oz.	10 to 40	90
PRICKLY ASH BERRIES (Xanthoxylum Farz- ineum) Med. prop.—Alterative, Sialagogue, Stimulant, Antispas- modic.	10 to 30	2 25
PULSATILLA (Anemone Pulsatilla)	10 to 20	1 10
When ordering or prescribing be careful to specify WAR	NER &	co's

	-	and the same of the same of
FLUID EXTRACTS.	Dose in Minims.	Price per Pint.
PUMPKIN SEED (Cucurbita Pepo)		\$1 80
QUASSIA (Simaruba Excelsa)	30 to 60	80
QUEEN OF THE MEADOW (Eupatorium Pur-	1	80
QUININE FLOWER (Sabbatia Elliottii)	10 to 20	2 25
RASPBERRY LEAVES (Rubus Strigosus)	15 to 30	90
RED CLOVER (Trifolium Pratense) Med. prop.—Used in Whooping Cough.		1 05
RHATANY (Krameria Triandra)	20 to 40	1 10
Infusion—F. E. 1 fl. oz., Cold Water 15 fl. oz. RHUBARB (Rheum Officinale)	30 to 60	2 00
RHUBARB (Rheum Officinale)		
RHUBARB, AROMATIC. (For Syr. Rhei Aromat. Med. prop.—Stomachic, Laxative. Tincture—F. E. 4 fl. oz., Alcohol 8 fl. oz., Water 4 fl. oz. Syrup—F. E. 1 fl. oz., Simp. Syrup 15 fl. oz.		2 00
RHUBARB AND SENNA	60 to 120	1 60
RHUS AROMATICA	30 to 120	3 00
ROSIN WEED (Silphium Gummiferum)	20 to 40	1 80
RUE (Ruta Graveolens)	. 15 to 30	1 00
SAFFRON, AMERICAN (Carthamus Tinctorius) Med. prop.—Diaphoretic, Laxative.	. 15 to 30	2 00
SAGE (Salvia Officinalis)	1	
SANDALWOOD (Santalum Album)	30 to 120	2 50
SARSAPARILLA (Smilax Officinalis)	. 30 to 60	1 20
SARSAPARILLA COMPOUND	30 to 60	1 20
SARSAPARILLA COMPOUND. (For Syr. Sars Co., U. S. P.)	30 10 00	1 20
SARSAPARILLA AND DANDELION Med. prop.—Alterative, Diuretic, Tonic.	60 to.12	1 20
SASSAFRAS (Sassafras Officinale)	20 to 60	90
SAVINE (Juniperus Sabina)	10 to 20	1 00
SAW PALMETTO (Sabal Serrulata)		2 00
When ordering or prescribing be careful to specify WA	RNER 8	co's

	-	Charles and
FLUID EXTRACTS.	Dose in Minims.	Price per Pint.
SAXIFRAGE (Pimpinella Saxifraga)	15 to 30	\$1 50
SCULLCAP (Scutellaria Laterifolia)	30 to 60	1 10
SEA-WRACK (Fucus Vesiculorus)	60 to 240	7. 70
Used as a remedy in reducing Morbid Obesity. Tincture—F. E. 4 fl. oz., Dil. Alcohol 12 fl. oz. Infusion—F. E. 2 fl. oz., Hot Water 14 fl. oz.		
Med. prop.—Expectorant, Diuretic, Emetic. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz., Aq.	20 to 30	2 50
Ammonia 1 fl. dr. Syrup, U. S. P.—F. E. 2 fl. 02., Simp. Syrup 10 fl. 02., Aq. Ammonia 1½ dr.		
SENNA, ALEXANDRIA (Cassia Acutifolia)		I 35
Syrup—F. E. 2 fl. oz., Ol. Coriander 1 dr., Simp. Syrup 14 fl. oz. SENNA, AQUEOUS (Cassia Acutifoliu)	60 to 120	85
Med. prop.—Cathartic, without griping. SENNA COMPOUND	60 to 120	
Med. prop.—Cathartic. SHEEP LAUREL (Kalmia Augustifolia)	10 to 30	1 20
Med. prop.—Astringent, Sedative, Antisyphilitic. SHEEP SORREL (Rumex Acetosella)	10 to 60	1 20
Med. prop.—Refrigerant, Diuretic.		1 20
SHEPHERD'S PURSE (Capsella Bursa-pastoris) Med. prop.—Diuretic, Tonic, Stimulant. SILKWEED (Asclepias Syriaca)	15 to 30	1 20
Med. prop.—Anodyne, Alterative, Cathartic. SKUNK CABRAGE (Symplocarpus Fertidus)	30 to 60	90
Med. prop.—Stimulant, Antispasmodic, Expectorant. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.		
SOAP BARK (Quillaya Saponaria)	60 to 140	1 20
SOAPWORT (Saponaria Officinalis) Med. prop.—Alterative.	10 to 30	1 00
SOLOMON'S SEAL (Convallaria Multiflora)	30 to 60	90
SOUR WOOD LEAVES (Oxydendron Arboreum) Med. prop.—Recommended in Dropsy.		2 50
SOUTHERN WOOD (Artemisia Abrotanum)	20 to 40	
Med. prop.—Emmenagogue, Expectorant. SPEARMINT (Mentha Viridis)		
Med. prop.—Aromatic, Stimulant, Carminative. Infusion—F. E. 1 fl. oz., Water 15 fl. oz.	00 10 120	/3
SPIKENARD (Aralia Racemosa)	60 to 120	85
SQUAW VINE (Mitchella Repens)	60 to 120	1 10
SQUILLS, ACETIC (Scilla Urgenea)	2 to 20	65
SQUILLS, ALCOHOLIC	2 to 5	90
SQUILLS, COMPOUND (Squills and Senega)		1 65
When ordering or prescribing be careful to specify WAR	NER &	CO'S

	Charles and the Control of the Contr	-
FLUID EXTRACTS.	Dose in Minims.	Price per 'Pint.
STAR GRASS (Aletris Farinosa)	10 to 20	\$ I 25
STAVESACRE SEED (Delphinium Staphisagria) Med. prop.—Emetic, Cathartic.		2 25
STILLINGIA (Stillingia Sylvatica)	30 to 60	1 30
STILLINGIA COMPOUNDMed. prop.—Alterative. Syrup—F. E. 4 fl. oz., Simp. Syrup 12 fl. oz.	30 to 60	1 25
STONE ROOT (Collinsonia Canadensis)	10 to 20	90
STRAMONIUM LEAF (Datura Stramonium) Med. prop.—Narcotic, Antispasmodic, Anodyne. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. Wine—F. E. 2 fl. oz., Sherry Wine 14 fl. oz.	3 to 10	95
STRAMONIUM SEED	1 to 3	95
SUMACH (Rhus Glabrum)	30 to 60	80
SUMACH BARK (Rhus Glabrum)		70
SUMMER SAVORY (Satureja Hortensis) Used as a flavor for culinary purposes.		90
SUNDEW (Drosera Rotundifolia)	5 to 20	2 50
SWEET FERN (Comptonia Asplenifolia)	10 to 40	75
SWEET FLAG (Acorus Calamus)	10 to 60	1 15
TAG ALDER (Alnus Rubra)	30 to 60	80
TANSY (Tanacetum Vulgare)	30 to 60	75
TOLU (Soluble, for Syrup)	60 to 120	1 00
TONGA (Raphidophora Vitiensis and Premna Taitensis) Med. prop.—Recommended as a remedy in Neuralgia.		5 50
TONKA BEAN (Dipterix Odorata)		3 50
TURKEY CORN (Corydalis Formosa) Med. prop.—Tonic, Diuretic, Alterative. Tincture—F. E. 2 fl. oz., Alcohol 14 fl. oz.	10 to 40	1 75
TURMERIQ (Curcuma Longa) Med. prop.—Aromatic, Stimulant. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.	60 to 120	90
TWIN LEAF (% offersonia Diphylla)		1 35
UNICORN ROOT (Helonias Dioica)	20 to 60	1 50
URTICA DIOICA Med. prop.—Diuretic. Employed in Scorbutic and Febrile Affections, also in Diarrhœa, Dysentery, Hemorrhoids, etc.	00 to 10	1 00
USTILAGO MAIDIS (Ergot from Corn)		1 30
When ordering or prescribing be careful to specify WAR	NER &	CO'S

FLUID EXTRACTS.	Dose in	Price
THOID HATHROOM	Minims.	per Pint.
UVA URSI (Arctostaphylos Uva Ursi)	20 to 60	\$ 0 80
VALERIAN (Valeriana Officinalis)	30 to 90	1 00
14 fl. oz. VIRGINIA SNAKE-ROOT (Aristolochia Serpenta-		0 0 0
ria). Med. prop.—Diuretic, Stimulant, Tonic, Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz., Infusion—F. E. ½ fl. oz., Hot Water 1 pt.	10 to 30	1 50
WAFER ASH (Ptelea Trifoliata)	30 to 60	1 00
WAHOO (Euonymus Atropurpureus)	30 to 120	1 35
WATER AVENS (Geun Rivale) Med. prop.—Tonic, Astringent. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.	20 to 60	90
WATER FENNEL SEED (Oenanthe Phellandrium)		1 75
WATERMELON SEEDS (Cucurbita Citrullus)		I 75
Med. prop.—Stimulant, Diuretic, Emmenagogue.	30 to 60	85
WHITE ASH BARK, AMERICAN (Fraxinus Americana).		1 15
WHITE BRYONY (Bryonia Alba). Med. prop.—Cathartic, Discutient.	10 to 60	1 10
WHITE HELLEBORE (Veratrum Album)		1 10
WHITE INDIAN HEMP (Asclepias Incarnata) Tincture—F. E. 2 fl. oz., Dill. Alcohol 14 fl. oz. Syrup—F. E. 2 fl. oz., Simp. Syrup 14 fl. oz. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.	10 to 30	95
WHITE OAK BARK (Quercus Alba) Med. prop.—Astringent, Tonic. Syrup—F. E. 2 fl. oz., Simp. Syrup 14 fl. oz.	1	80
Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz. WHITE POPLAR (Populus Tremuloides) Med. prop.—Tonic, Febrifuge.	60 to 120	90
WILD CHERRY BARK (Prunus Virginiana) Med. prop.—Tonic, Sedative. Syrup—F. E. 3 fl. oz., Simp. Syrup 13 fl. oz. Infusion—F. E. 1 fl. oz., Cold Water 16 fl. oz.	30 to 60	80
WILD GINGER (Asarum Canadense)	30 to 60	1 20
WILD INDIGO (Baptisia Tinctoria)	20 to 40	85
WILD YAM (Dioscorea Villosa) Tincture—F. E. 4 fl. 0z., Dil. Alcohol 12 fl. 0z. Infusion—F. E. 1 fl. 0z., Hot Water 15 fl. 0z.	20 to 60	85
WINTERGREEN (Gaultheria Procumbens)	60 to 120	85
WITCH HAZEL (Hamamelis Virginica) Med. prop.—Tonic, Astringent, Sedative. Tincture—F. E. 4 fl. oz., Dil. Alcohol 12 fl. oz. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.	30 to 90	75
WORMSEED (Chenopodium Anthelminticum)	20 to 60	95
WORMWOOD (Artemisia Absinthium) Med. prop.—Anthelmintic, Tonic, Narcotic. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz. Infusion—F. E. 1 fl. oz., Hot Water 15 fl. oz.,	20 to 40	80
When ordering or prescribing be careful to specify WAR	NER &	CO'S

FLUID EXTRACTS.	Dose in Minims,	Price per Pint.
Med. prop.—Used for its prophylactic action against Hydrophobia.	15 to 30	\$1 50
Tincture—F. E. 4 fl. oz., Dil. Alcohol 12 fl. oz. YARROW—(Achillea Millefolium) Med. prop.—Mild Aromatic, Tonic, Astringent. Tincture—F. E. 2 fl. oz., Dil. Alcohol 14 fl. oz.	30 to 60	85
YELLOW DOCK (Rumex Crispus)	60 to 120	1 00
Syrup—F. E. 4 fl. oz., Simp. Syrup 12 fl. oz. Tincture—F. E. 4 fl. oz., Dil. Alcohol 12 fl. oz. Infusion—F. E. 1 fl. oz., Water 15 fl. oz.		
YELLOW PARILLA (Menispermum Canadense) Med. prop.—Tonic, Alterative, Diuretic.	30 to 60	I 20
YERBA REUMA	10 to 20	2 25
YERBA SANTA (Eriodyction Californicum)	10 to 60	2 25

We supply these Fluid Extracts in 1 gallon jugs, 5 pint, 1 pint, $\frac{1}{2}$ pint and $\frac{1}{2}$ pint bottles.

The prices named include the containers, and when not otherwise specified will be sent out in pint bottles; when ordered in bulk, a reduction of five cents per pint; in 4 oz. bottles, 25 cents advance, and in 8 oz. bottles, 15 cents advance on list prices.

Orders invited for large quantities in bulk.

Awarded Gold Medal at New Orleans Exposition.

THE MOST EXTENSIVE PILL FACTORY

IN THE WORLD.



ORDERS FOR PROPRIETARY PILLS IN ANY STYLE WILL RECEIVE PROMPT AND CAREFUL ATTENTION.

FOR THE SPEEDY RELIEF OF

Nervous Headache and Brain Fatigue.

Warner's Effervescing Hydrobromate of

CAFFEINE W. & CO'S POTASSIUM

As specially prepared by WILLIAM R. WARNER & CO.

Dose.—A large teaspoonful in water, containing

Hydrobromate of Caffein, - - - 1 gr. Bromide of Potassium, - - - - 20 grs.

Properties.—Useful in Sleeplessness, over exertion of the brain, over study, nervous debility, etc., and in all cases for which the above remedies are given singly to advantage. An almost certain relief is given by the administration of this Effervescing Salt. It affords a pleasant and delightful draught, by mixing a large teaspoonful with a glass of water and drinking while effervescing. It is also used with advantage in indigestion, depression following alcoholic and other excesses, as well as nervous headache. It affords speedy relief for mental and physical exhaustion. Physicians recognize its great advantage. The dose named above may be repeated, if necessary, three times at intervals of thirty minutes.

Warner & Co.'s Granulated Effervescent

SALICYLATE OF SODA

WITH

BROMIDE of POTASH.

ANTI-RHEUMATIC, SEDATIVE.

Each large teaspoonful contains 10 grs. of Salicylate Soda with 10 grs. Bromide of Potash.

The dose is usually, one heaping teaspoonful in half of a glass of water, three times a day, before eating.

Per Dozen, \$10.00

PREPARED BY

WILLIAM R. WARNER & CO.

SOLUBLE COATED PILLS,

Granulated Effervescent Salts.

(EQUAL TO THE BEST ENGLISH.)

Prepared by WILLIAM R. WARNER & CO.

GRANULATED EFFERVESCENT

APOLLINARIS SALT.

A dessertspoonful dissolved in half of a glass of water forms an agreeable refrigerant aperient draught, identical with the natural water.

This aperient salt makes one of the most cooling and grateful drinks in the febrile stages of all diseases, and can be freely administered according to the desire of the patient.

Per dozen, \$4.00

GRANULATED EFFERVESCENT

ACID. SALICYLIC.

Each teaspoonful contains five grains of Salicylie Acid. Valuable in Rheumatism and analogous disorders. The temperature should be carefully watched in special cases.

Per dozen, \$6.00

GRANULATED EFFERVESCENT

BROMO SODA.

COMPOSITION:

30 grs.

Useful in Nervous Headache, Sleeplessness, Excessive Study, Over Brainwork, Nervous Debility, Mania, etc., etc.
Dose.—A heaping teaspoonful in half of a glass of water, to

be repeated once after an interval of thirty minutes, if necessary.

It is claimed by some prominent specialists in nervous diseases, that the Sodium Salt is more acceptable to the stomach than the Bromide Potassium. An almost certain relief is given by the administration of this Effervescing Salt. It is also used with advantage in Indigestion, Depression following alcoholic and other excesses, as well as NERVOUS HEADACHE. affords speedy relief for MENTAL and PHYSICAL EXHAUSTION.

Per dozen, \$10,00

GRANULATED EFFERVESCENT

CAFFEINE

BROMIDE OF POTASSIUM.

Specially prepared by William R. Warner & Co.

Dose.-A large teaspoonful, in water, containing Hydrobromate of Caffeine, Bromide of Potassium,

Properties:-Useful in sleeplessness, over exertion of the Brain, OVER STUDY, NERVOUS DEBILITY, etc., and in all cases for which the above remedies are given singly to advantage. An almost certain relief is given by the administration of this Efferveseing Salt. It affords a pleasant and delightful draught, by mixing a large teaspoonful with a glass of water and drinking while effervescing. It is also used with advantage in INDIGESTION, DEPRESSION following alcoholic and other exeesses, as well as NERVOUS HEADACHE. It affords speedy relief for MENTAL and PHYSICAL EXHAUSTION. Phy-

sieians recognize its great advantage.

The dose named may be repeated, if necessary, three times

at intervals of thirty minutes.

Per dozen, \$10.00

GRANULATED EFFERVESCENT

CITRATE OF CAFFEINE.

A dessertspoonful containing one grain of Citrate of Caffeine should be given for sick headache every hour or two, before and during paroxysms.

This preparation should be used more particularly in those cases of sick headache, the cause of which is torpidity of the liver and other excretory organs.

Per dozen, \$10.00

GRANULATED EFFERVESCENT

CRAB ORCHARD SALT.

Prepared from the exact analysis of the purified natural salt as obtained from the Crab Orchard Spring, Ky.

A heaping teaspoonful in half of a glass of water forms a grateful, effervescing draught, producing the effect of the natural water.

Per dozen, \$4.00

GRANULATED EFFERVESCENT

BROMIDE OF CAFFEINE.

A dessertspoonful containing one grain of Bromide of Caffeine, should be given for sick headache, every hour or two before and during the paroxysms.

This most valuable therapeutic agent acts with marvelous promptitude in those cases of headache, the cause of which is gastric irritability from over indulgence in food or drink, and also when due to nervous exhaustion caused by want of sleep and overwork.

Per dozen, \$10.00

GRANULATED EFFERVESCENT

NITRATE OF CERIUM.

Each heaping teaspoonful contains two grains of Nitrate of Cerium.

Useful in reflex vomiting and gastric distress not due to organic disease of the stomach.

The dose may be increased to four and even eight grains of the Nitrate of Cerium as occasion demands.

Per dozen, \$6.50

GRANULATED EFFERVESCENT

CONGRESS SALT.

A Saline Aperient.

A heaping teaspoonful in a glass half full of water, forms an agreeable and refreshing draught identical with the water of the popular "Congress Spring" at Saratoga.

Per dozen, \$4.00

GRANULATED EFFERVESCENT

OXALATE OF CERIUM.

Each heaping teaspoonful contains two grains of Oxalate of Cerium.

Valuable in *reflex* vomiting not due to gastric irritability. In many cases of so-called nervous Dyspepsia it will **c**ontrol the paroxysms.

Per dozen, \$6.50

GRANULATED EFFERVESCENT

FRIEDRICHSHALL SALT.

A dessertspoonful dissolved in half of a glass of water forms a grateful refrigerant and laxative draught identical with the natural water.

This is a minimum dose, and in many cases must be increased to obtain the desired laxative action of the salt. It is best taken before breakfast.

Per dozen, \$5.00

GRANULATED EFFERVESCENT

GINGERADE.

A tablespoonful dissolved in a glass of water forms an exceedingly grateful summer drink, similar to Ginger Ale.

Per dozen, \$4.00

GRANULATED EFFERVESCENT

HUNYADI JÁNOS.

A heaping teaspoonful dissolved in a glass half full of water, forms an agreeable and refreshing draught, identical with the natural water.

As an aperient take two teaspoonfuls.

As a purge increase the dose to two tablespoonfuls in a tumbler half full of cold water, taken before breakfast.

Per dozen, \$5.00

GRANULATED EFFERVESCENT

KISSINGEN SALT.

A heaping teaspoonful dissolved in half of a glass of water, forms an agreeable and refreshing draught, identical with the natural water.

Per dozen, \$4.00

GRANULATED EFFERVESCENT

BENZOATE OF LITHIA.

Each teaspoonful contains four grains of the chemically pure salt.

This preparation has been strongly recommended as a remedy for Gout. It may be used with good effect in all cases of Lithaemia, Gout and Rheumatic Gout.

Per dozen, \$10.00

GRANULATED EFFERVESCENT

BROMIDE OF LITHIA.

Each teaspoonful contains five grains of the chemically pure salt.

This preparation has been strongly recommended as a remedy for Epilepsy and as a hypnotic of great value.

Per dozen, \$10.00

GRANULATED EFFERVESCENT

SALICYLATE OF LITHIA.

Dose.—A teaspoonful, containing ten grains of the salt. A convenient and pleasant remedy in Gout and Rheumatism.

This preparation is intended for physicians' use, and will be found to possess advantages over Salicylic Acid, being less irritating to the stomach, and combining the efficacy of Lithia and Salicylic Acid.

Per dozen, \$10.00

GRANULATED EFFERVESCENT

CITRATE LITHIA.

Each heaping teaspoonful contains four grains of the chemi-Valuable in Rheumatic, Gouty, and analocally pure salt. gous disorders, and acceptable to delicate stomachs where the Carbonate is not well borne.

Per dozen, \$10.00

GRANULATED EFFERVESCENT

CARBONATE LITHIA.

Each heaping teaspoonful contains four grains of the chemi-A remarkable and often magical resolvent of cally pure salt.

Gouty Rheumatic deposits.

Dr. A. Garrod, the well known English authority on Gout, and who was the first physician to introduce the Lithia Salts in the treatment of the gouty diathesis, states that their action is materially increased by being administered in a freely diluted form.

The effervescing salts of Lithia furnish an easy and elegant

way of applying Dr. Garrod's methods.

Per dozen, \$10.00

GRANULATED EFFERVESCENT

CITRATE OF MAGNESIA.

Pleasant and Efficient.

DIRECTIONS.

For a purgative effect take two or more tablespoonfuls added to a small glass of water, and drink while effervescing. As a laxative, one or two tablespoonfuls taken in the same manner. One or two teaspoonfuls in sweetened water, produces a delightful, cooling drink in summer.

This preparation of Citrate of Magnesia has the advantage over the liquid form, and a fresh and effective preparation is possible in every household.

Per dozen, \$4.00

GRANULATED EFFERVESCENT

SULPHATE OF MAGNESIA.

Pleasant and Efficient.

DIRECTIONS

For a purgative effect, take two or more tablespoonfuls added to a small glass of water, and drink while effervescing. As a laxative, one or more tablespoonfuls taken in the same manner.

This preparation is more agreeable and quite as efficient as the old fashioned dose of salts, and is thus a great boon to the nursery.

Per dozen, \$4.00

GRANULATED EFFERVESCENT

PEPSIN AND BISMUTH.

Each heaping teaspoonful contains the dose of Saccharated Pepsin and soluble Citrate of Bismuth.

Useful in cases of Indigestion due to catarrhal conditions of the gastric mucous membrane.

Per dozen, \$7.50

GRANULATED EFFERVESCENT

PEPSIN, BISMUTH AND IRON.

Each heaping teaspoonful contains the dose of Saccharated Pepsin, soluble Citrate of Bismuth and one grain of Citrate of Iron.

Useful in cases of Dyspepsia, Indigestion and gastric irritability.

Per dozen, \$10.00

GRANULATED EFFERVESCENT

PEPSIN, BISMUTH AND STRYCHNINE.

Each heaping teaspoonful contains the dose of Saccharated Pepsin, soluble Citrate of Bismuth, and the one-sixtieth grain of Citrate of Strychnine.

A valuable and agreeable tonic, indicated in cases of atonic dyspepsia.

Per dozen, \$8.00

GRANULATED EFFERVESCENT

LITHIATED POTASH.

Each heaping teaspoonful contains five grains of Carb. Lithia and ten grains of Bi-Carb. Potash.

Per dozen, \$10.00

GRANULATED EFFERVESCENT

BI-CARBONATE OF POTASSIUM.

A dessertspoonful in a glass of water makes an excellent neutral mixture and effervescing draught. The diaphoretic and refrigerant effects are readily produced.

Per dozen, \$4.00

GRANULATED EFFERVESCENT

IODIDE OF POTASSIUM.

Each heaping teaspoonful contains two grains of Iodide of Potassium.

This preparation of Iodide of Potassium has the advantage of being easily borne by the stomach, and as the peculiar taste is disguised, can be taken for a long time without arousing disgust in the patient which is often found when other preparations of Iodide of Potassium have to be taken for a long period.

Per dozen, \$5.00

GRANULATED EFFERVESCENT

BROMIDE OF POTASSIUM.

Each heaping teaspoonful contains ten grains of Bromide of Potassium.

Per dozen, \$5.00

GRANULATED EFFERVESCENT

CITRATE OF POTASSIUM.

A dessertspoonful in a glass of water makes an excellent neutral mixture and effervescing draught. The diaphoretic and refrigerant effects are readily produced.

Per dozen, \$5.00

GRANULATED EFFERVESCENT

NITRATE OF POTASSIUM.

A dessertspoonful in half of a glass of water makes an excellent mixture and effervescing draught. The diaphoretic and refrigerant effects are readily produced.

Per dozen, \$4.00

GRANULATED EFFERVESCENT

PULLNA SALTS.

A large teaspoonful dissolved in a glass half full of water, forms an agreeable and refreshing draught, identical with the water of the Pullna Spring in Germany.

Per dozen, \$4.00

GRANULATED EFFERVESCENT

SEIDLITZ MIXTURE.

(Seidlitz Powder, U.S.P.)

An excellent aperient and refrigerant, very acceptable to the stomach.

Dose.—One tablespoonful in a glass of water.

Like the Citrate of Magnesia this preparation is a more convenient and agreeable form of an aperient medicine than is usually used.

Per dozen, \$4.00

GRANULATED EFFERVESCENT

BROMIDE OF SODIUM.

Each large teaspoonful contains ten grains of Bromide of Sodium.

Per dozen, \$5.00

GRANULATED EFFERVESCENT

SELTZER SALT.

A table spoonful to half of a glass of water, forms a grateful and refreshing saline draught, identical with the natural water. Per dozen, \$4.00

GRANULATED EFFERVESCENT

BI-CARBONATE OF SODIUM.

An excellent antacid, also antilithic and resolvent. Dose.—A heaping teaspoonful in part of a glass of water. Per dozen, \$4.00

VICHY SALT.

(Grand Grille.)

A heaping teaspoonful dissolved in half of a glass of water, forms a grateful and refreshing draught, identical with the natural water.

Per dozen, \$4.00

GRANULATED EFFERVESCENT

SALICYLATE OF SODA with BROMIDE OF POTASH.

ANTI-RHEUMATIC, SEDATIVE.

Each heaping teaspoonful contains ten grains of Salicylate of Soda and 10 grains of Bromide of Potash.

The dose is usually one large teaspoonful in half of a glass

of water, three times a day before eating.

This is the minimum dose for adults, and may be increased with advantage in many cases of Rheumatism and Rheumatic

This preparation is particularly valuable in cases of Lythiasis, in which the more prominent symptoms are inflammation of the mucous membranes of the respiratory and digestive tracts and ill-defined muscular soreness.

Per dozen, \$6.00

WARNER & CO.'S

Specialties for Druggists




Little Cathartic Granules

30 Granules in each vial, with any name and address, ready for sale.

Per Gross, \$7.00

SEE PAGE 34 OF THIS BOOK FOR VECETABLE LIVER PILLS.



WARNER & CO.'S

LITTLE

Cathartic

AND

Liver GRANULES.

Special quotations for large quantities in bulk.

1,000, 90 CTS.

10,000, \$8.00.

PREPARED BY

WILLIAM R. WARNER & CO.

MANUFACTURING CHEMISTS,

WARNER & CO.'S

SPECIALTIES FOR

RETAIL DRUGGISTS.



Compressed

Soda Mints

In nickel capped bottles.

Per Doz. \$1.00 Per Gross, \$3.00

Special quotations for lots of 5 gross or over with buyer's name and address.



Compressed

Chlor. Potash.

In nickel capped bottles.

Per Doz. \$1.00 Per Gross, \$9.00

Special quotations for lots of 5 gross or over with buyer's name and address.

PREPARED BY

WILLIAM R. WARNER & CO.

MANUFACTURING CHEMISTS,

WM. R. WARNER & CO.'S

COMPRESSED TABLETS.

Furnished in small boxes, bottles or bulk.

Gross.	Pound.
Bi-Carb. Potash, 5 grs	\$1.00
Bi-Carb. Soda, in bottles, 5 grs 12.00	.65
Borax, 5 grs	.75
Chlorate Potash and Borax, 2½ grs. ea. 12.00	.75
Chlorate Potash, C. P., 5 grs 12.00	.65
Muriate of Ammonia, 3 grs 15.00	1.00
Soda Mint, in bottles, 5 grs 12.00	.65
Chlorate Potash, (Squibb's Chlorate.). 12.00	.75
Brown Mixture,	.60
Paregoric,	.60
Compound Licorice Powder, 21.00	.75
Quinine Tasteless Tablets, (1 gr. Tan. Quinine) 36.00	2.75
u u u (2 " ") 48.00	3.75
0 70 701 0: 10 2	

One Pound Glass Stoppered Bottles, 5 ets. extra.

These Tablets are handsomely put up and will be found a superior line of preparations.

Special Compressions made to order, if wanted in lots of five pounds or more.

WILLIAM R. WARNER & CO.

Makers of Soluble Coated Pills,

1228 MARKET STREET, 22 LIBERTY STREET,

PHILADELPHIA.

LIQUID

PANCREOPEPSINE

(DIGESTIVE FLUID.)

This Preparation contains in an agreeable form the natural and assimilative principles of the digestive fluid of the stomach, comprising Pancreatine, Pepsin, Lactic and Muriatic Acids. The best means of re-establishing digestion in enfeebled stomachs, where the power to assimilate and digest food is impaired, is to administer principles capable of communicating the elements necessary to convert the food into nutriment.

The value of Liquid Pancreopepsine in this connection has been fully established, and we can recommend it with confidence to the Medical Profession as superior to Pepsin alone. It aids in digesting animal and vegetable cooked food, fatty and amylaceous substances, and may be employed in all cases where, from prolonged sickness or other causes, the alimentary processes are not in their normal condition.

Put up in Sixteen-ounce French Square Bottles. Retail Price, \$1.00

ELIXIR

SALICYLIC ACID COMP.

A POTENT AND RELIABLE REMEDY IN

RHEUMATISH, GOUT, LUMBAGO AND KINDRED COMPLAINTS.

This preparation combines, in a pleasant and agreeable form, Salicylic Acid, Cimicifugæ, Gelseminm, Sodii Bi-Carb. and Potass. Iodid., so combined as to be more prompt and effective in the treatment of this class of diseases than either of the ingredients when administered alone.

This remedy can be given without producing any of the unpleasant results which so often follow the giving of Salicylic Acid and Salicylate of Sodium—viz., gastric and intestinal irritation, nausea, delirium, deafness, nervous irritability, restlessness and rapid respiration; on the contrary, it gives prompt relief from pain and quiets the nerves without the aid of opiates.

The dose is from a tea to a dessertspoonful. Each teaspoonful contains five grains of Salicylic Acid.

Elixir Salicylic Acid Comp. is put up in 12 ounce square bottles.

Retail Price, \$1.00

PREPARED BY

WILLIAM R. WARNER & CO.

Manufacturing Chemists,

PHILADELPHIA and NEW YORK.

Mc New Store Designed to be Modern or Handsomely Appointed,



should be without

WARNERS

Newly Designed

Drug Shop Bottle.

DESIGN PATENT.



Square Shoulder.

Round Shoulder.

New and Ornamental Form of Dispensing Bottle.

It furnishes handsomely, being beautiful and symmetrical, and is a great improvement over the old-fashioned, square-bottom bottle so long in use. The contrast is as marked as between an ordinary tumbler and a handsome goblet.

A drug store fitted out with these bottles presents a very attractive appearance, and they are a graceful and ornamental feature.

They are stronger than the ordinary bottle, as the concussion which would shiver the latter does not break off the base of the new bottle. Not one bottle of 300 in use in one store was broken in a period of three years. No one who has put them in use would exchange for the old style.

PRICES:

TINCTURES.

SALT MOUTHS.

Half-pint,	Heigh	t, 9½	in.,	per doz,	\$2.65	Half-pint,	Heigh	it, 8%	in.,	per doz.	\$3.1
One pint,	44	1134		. 44	3.25	One plut.	4+17	101/2		64	3.60
Two pint,	6.6	1382	6.6	6.6	4.00	Two pint.	6.6	13%	6.6	1.6	4.50
Four pint,	6.6	16	6.6	6.6	6.00	Four pint,	6.6	15	6 8	4.6	7.00

The difference in height between this and the old style bottle is an economical feature, inasmuch as three lines of shelving will answer where four were formerly required, and the smaller number of bottles brings their cost to about the same as the ordinary ware.

Number of Bottles required to cover Ten Feet of Shelving.

Half-pint,	-	-	2 10-12 doz. Two pint.	-	_	2 2-12 doz.
One pint,	-	***	2 8-12 doz. Four pint	, -	-	1 8-12 doz.

Glass labels running lengthwise, with two or three lines of lettering, sultable for this style of bottles, ls cents each. Ordinary style of Indestructible labels, 12 cents each.

MOTHING CAN SURPASS THE BEAUTY OF THESE DESIGNS.

We supply the ordinary style shop bottles at following prices:

	TINCTURES		, SALT MOUTHS.			
	X	XXX		X	XXX	
		Whitall,			Whitall.	
	Warner & Co.			Warner & Co.		
Half-pint,	\$1.05	\$2.75	Half-pint,	\$1.12	\$3.13	
One pint,	1.60		One piut,	1.65	3.63	
Two pint,	2.00	4.00	Two pint,	2.38	4.50	
Four pint,	3.30	6.00	Four pint.	3.50	7.00	



Special attention given to the fitting out of **New Stores.**

ALL ORDERS SHOULD BE ADDRESSED TO

WM. R. WARNER & CO.,

Manufacturing Chemists.

1228 Market St., PHILADELPHIA.

22 Liberty St., NEW YORK.



DEAR SHE:—Your generous gift of shop bottles with Indestructible glass labels has been received, and the Board of Directors of the Garfield Memorial Hospital request me to acknowledge the receipt thereof, and to convey to you their thanks for a contribution so useful.

Very Respectfully,

B. G. Lovejoy, Secretary.

AN IMPORTANT NEW REMEDY.

SUPERIOR TO PEPSIN OF THE HOG.

A Powder:—Prescribed in the same manner, doses, and combinations as pepsin.

INGLUVIN

VENTRICULUS CALLOSUS GALLINACEUS.

From the Gizzard of the Domestic Fowl (Pullus Gallinaceus).

A SPECIFIC FOR VOMITING IN PREGNANCY

AND A

Potent and reliable remedy for the cure of INDIGES-TION, DYSPEPSIA, and SICK STOMACH, caused from debility of that organ. It is superior to the Pepsin Preparations, since it acts with more certainty and effects cures where they fail.

EDWARD WARREN (BEY), M.D., C.M., Paris, France.—
"I am pleased to be able to chronicle the fact that in three cases of pronounced atonic dyspepsia and in one case of chronic indigestion it has acted like a charm—promptly relieving all disagreeable symptoms and restoring the stomach to its proper functions. My patients, who had previously tried without benefit all ordinary forms of pepsin, bismuth, cerium, nux vomica, etc., etc., are delighted with this new remedy, and assure me that they experienced benefit from the first dose. Hereafter I shall prescribe it liberally and with great confidence in its therapeutic value."

Dr. Shelly, Philadelphia.—"I have used this remedy for twenty-five years, and it has never failed."

Dr. F. W. CAMPBELL, Montreal.—" With INGLUVIN I have cured three out of four cases of vomiting in pregnancy."

DR. C. F. CLARK, Brooklyn, N. Y.—"I have used Ingluvin very extensively in my daily practice for more than a year, and have fully tested it in many cases of vomiting in Pregnancy, Dyspepsia, and Sick Stomach, with the best of results."

TABES-MESENTERIC DISEASE.

1, ELDEN SQUARE, NEWCASTLE-ON-TYNE, ENGLAND, October 31st, 1889.

DEAR SIES:—Will you have the kindness to inform me if you have an Agent in this town for WARNEL'S INGLUVIN, as I shall most likely prescribe it from time to time, in order to give it a more extended trial. I was much gratified with its action in a distressing case of Tabes-Mesenteric Disease. I had not difficulty in bringing the pain nuder subjection by opiates, etc., but in the vomenting, emacation, and disordered condition of the bowels, there was no improvement. Finding a sample box of INGLUVIN upon my consulting table, (and for which accept my thanks, for I firmly believe that the powder saved my little patient's life,) I gave the mother the box containing a dozen powders, requesting her to divide one into three, and administer one twice daily. The pain disappeared, the vomiting ceased, flesh was rapidly put on, and in the short space of a fortnight (the patient previously under treatment for six weeks,) was convalescent and completely recovered, (aged 2% years).

Believe me, yours faithfully,
ANTHONY BELL, L. R. C. P. Ed., M. R. C. S. Eng., L. S. A. etc.
Late Senior Assistant to the Newcastle Infirmary, and Surgeon
to the Hospital for Diseases of the Skin, etc.

Warner & Co.'s Standard Preparations

May be obtained through the following well-known dealers.

NEW YORK CITY.

Wm. R. Warner & Co. Kane & Behrens. Chas. N. Crittenton. Lauman & Kemp. R. W. Robinson & Son

W. H. Schiefelin & Co. Lazeli, Iballey & Co. Fraser & Lee Lehn & Flnk. Bruen, Bros. & Ritchey.

McKesson & Robbins.
Tarrant & Co.
Hall & Ruckel.
Van Duzer & Co.
Coffin, Redington & Co.

PHILADELPHIA

Smith, Kline & Co.
French, Richards & Co.
French, Richards & Co.
H. K. Wampole & Co.
Roller Shoemaker & Co.
Johnston, Holloway & Co.
Rommel, Rabe & Co.
G. W. Carpenter, Henszey & Co.

BOSTON.

Rust, Bros. & Bird. Weeks & Potter. Cutler, Bros. & Co.

Carter, Carter & Kilham. Gilman Bros. Doolittle & Smith.

George C. Goodwin & Co.

Wm. B. Blanding.

PROVIDENCE, R. I. George L. Claffin & Co.

Kenyon, Smlth & Co.

John J. Thompsen. Gilpin, Langdon & Co.

BALTIMORE, MD.
Wm. H. Brown & Bro.
Vogeler Son & Co.
Lily, Rogers & Co.
Muth, Bros. & Co.

Stott, Cromwell & Co.

WASHINGTON, D. C.
Tsehiffely & Evans.

Purcell, Ladd & Co.

RICHMOND, VA.
Bodeker Bros Powers, Taylor & Co.

Polk Miller & Co.

MEMPHIS, TENN. G.W. Jones & Co. Van Vleet & Co. S. Mansfield & Co. J. J. Miles & Co.

CHARLESTON, S. C.

Dowie & Moise.

Dr. H. Baer.

NEW ORLEANS, LA. I. L. Lyons & Co. F. L. Cusachs.

Finlay & Brunswig. E. J. Hart & Co. s. R. N. Girling & Co.

Richardson Drug Co. Meyer Bros. & Co. George K. Hopkins & Co. Collins Bros. Drug Co. Koch & Kempf Drug Co. Mellier Drug Co.

Fuller & Fuller Co. John A. King & Co. Robert Stevenson & Co.

Peter Van Schnaek & Sons. Lord, Owen & Co. Morrisson, Plummer & Co. Humiston, Keeling & Co.

CINCINNATI, OHIO.

Lloyd Bros. Hale, Justis & Co. Otto Rauchfuss & Co. Allen & Co. John D. Park & Sons. C. P. Cavlert & Co. Wilmot J. Hall & Co. C. E. Potts & Co.

MILWAUKEE, WIS-

The F. Dohmen Co. Limited, H. Bosworth & Sons.
The Chas. Baumbach Co. Drake Bros.

COLUMBUS, OHIO.

Orr, Brown & Price.

Cornell-Pheneger Chemical Co. Kaufman, Latimer & Co.

Cleveland Drug Co.

A. Kiefer & Co.

CLEVELAND, OHIO. Strong, Cobb & Co. Benton, Meyers & Co.

LOUISVILLE, KY.

R. A. Robinson & Co. Arthur Peter & Co. Bush, Bagby & Co. J. B. Wilder & Co.

INDIANAPOLIS, IND.

Richardson Drug Co. A. Browning & Sons.

George A. Kelly & Co.

PITTSBURGH, PA. Chas. Babst. A. C. Henderson. L. H. Harris Drug Co.

SAN FRANCISCO, CAL. Langly & Michaels Pacific Drug Agency Co. Redin Co. Greensfelder & Betelheim. Redington & Co. J. J. Mack & Co.

PORTLAND, OREGON. Snell, Heitslu & Woodard.

SALT LAKE CITY, UTAH. Godbe Pitts Drug Co.

Roberts & Nelden. Moore, Allen & Co.

OMAHA, NEB.
Blako, Bruce & Co. Richardson Drug Co.

MINNEAPOLIS, MINN.

Lyman-Eliel Drug Co. R. P. Russell.

ST. PAUL, MINN. J. P. Allen.

Ryan Drug Co. Noyes, Bros. & Cutler. KANSAS CITY, MO.

Woodward, Faxon & Co. Meyer Bros. Drug Co.

EVANSVILLE, IND. Haas, Runge & Co. Keller & White. Lemcke & Co.

ST. JOSEPH, MO. ATCHISON, KANSAS. DENVER, COL. Smith Drug Co. McPike & Fox. J. J. Reithmann & Co.

PADUCAH, KY.

Asa G. Candler & Co.

J. W. Perklns & Co.

SIOUX CITY, IOWA. Hornick Drug Co.

Du Boise & Robertson. ATLANTA, GA.

Lamar, Rankin & Lamar. Jno. B. Daniel.

Cook, Everett & Pennell.

PORTLAND, MA NE.

DETROIT, MICH.

James E. Davis & Co. John A. Dodds & Co. Farrand, Williams & Co.

QUINCY, ILL. BURLINGTON, IOWA. C. P. Squires & Co.

R. Montgomery & Co. PEORIA, ILL. Sutliff, Shultz & Co. Singer & Wheeler. Colburn, Birks & Co.

BLOOMINGTON, ILL. TOLEDO, OHIO.

Walding, Kinnan & Marvin. Funk & Lackey. WHEELING, W. VA. Logan & Co. STEUBENVILLE, OHIO. Beall & Steele.

BUFFALO, N. Y. Moore & Hubbard Drug Co. Powell & Plimpton. Stoddart Bros.

SYRACUSE, N. Y. Moore & Hubbard. U. W. Snow & Co.

ROCHESTER, N. Y. C. F. Paine & Co. Czar Dunning. E. H. Davls & Co.

NEW ALBANY, IND. MOBILE, ALA. LITTLE ROCK, ARK. I. C. Du Bose & Co. C. L. Hoover. C. J. Lincoln.

HARTFORD, CONN. Talcott, Frisbie & Co. T. Sisson & Co. SACRAMENTO, CAL. Kirk, Geary & Co.

NEW LONDON, CONN. NEW HAVEN, CONN. NORWICH, CONN. Lee & Osgood. Nichols & Harris. C. S. Leete & Co.

BRIDGEPORT, CONN. L. F. Curtis & Co. L. W. Booth & Co. S. F. Stevens & Co.

WILMINGTON, DEL. Z. James Belt. N. B. Danforth. Herbert K. Watson.

JACKSONVILLE, FLA. AUGUSTA, GA. H. Robinson & Co. W. H. Barrett. TERRE HAUTE, IND.

E. H. Bindley & Co. C. H. Buntin & Co. FORT WAYNE, IND. Meyer Bros. & Co.

TROY, NEW YORK. Robinson, Church & Co. J. L. Thompson Sons & Co.

ZANESVILLE, OHIO. W. A. Weller. UTICA, N. Y. John H. Shechan. HARRISBURG, PA. E. W. Gross & Sons.

SORANTON, PA. KNOXVILLE, TENN. Sanford, Chamberlain & Albers. Matthews Bros.

NASHVILLE, TENN. Spurlock, Neal & Co.

Pendleton Drug Co. Handley, White & Co.

SAN ANTONIA, TEX. DALLAS, TEXAS.
W. H. Howell & Bro.
Wells & Richardson Co. Orynski, Thompson & Co.

WARNER & CO'S GOODS WILL BE FOUND ON SALE WITH MOST DRUGGISTS
THROUGHOUT THE COUNTRY. WANT OF SPACE PRECLUDES
FURTHER MENTION.

DISCOUNTS TO WHOLESALE TRADE.

DISCOUNTS TO RETAIL TRADE

--OF--

Soluble Sugar-Coated Pills

-AND-

STANDARD PREPARATIONS.

1	11	
		SCOUNT
Aromatic Cachous cover page	4	Net.
Compressed Tablets57-5	8	Net.
Dosimetric Granules18-1	9 50	per ct.
Elixir Salcylic Acid Co5 \$8.50 per doz.	9	Net.
Fluid Extracts 32-4	8 25	per ct.
Granular Eff. Salts 49-5	5 20	per ct.
Granules 16-1	7 50	per ct.
Hypodermic Tablets, 2	3 20	per ct.
Ingluvin,\$10.00 per doz	Z.	Net.
" 3 doz. to 1 gross 9.50 "		Net.
Liq. Pancreopepsine, 8.50		Net.
Parvules 28–2	9 20	per ct.
Pills and Granules,1-1 Sugar-coated and Gelatin-coated		per ct.
Pills in pound bottles1	7	Net.
" of Quinine according to the Market price of Material, 2		
Pills for retailing30 and 5	6	Net.
Perfumes in Warner & Co.'s handsome bottles3	1	Net.
Sachet Powders in W. & Co.'s handsome bottles3	1	Net.
Shop Bottles6	0	Net.

FOR THE SPEEDY RELIEF OF

Nervous Headache and Brain Fatigue.

WARNER & CO.'S EFFERVESCING

BROMO (WARNER & CO.)

SODA

Useful in Nervous Headache, Sleeplessness,
Excessive Study, Over Brainwork,
Nervous Debility, Mania,
etc., etc.

DOSE.—A heaping teaspoonful in half a glass of water, to be repeated after an interval of thirty minutes, if necessary.

It is claimed by some prominent specialists in nervous diseases, that the Sodium Salt is more acceptable to the stomach than the Bromide Potassium. An almost certain relief is given by the administration of this Efferyescing Salt. It is also used with advantage in indigestion, depression following alcoholic and other excesses, as well as nervous headache. It affords speedy relief for mental and physical exhaustion.

PREPARED ONLY BY

WILLIAM R. WARNER & CO.

MANUFACTURERS OF

Soluble Coated Pills,

WARNER & CO.'S

Cachou Aromatise.



Perfuming the Breath and imparting a pleasant flavor.

These Cachous are coated with pure SILVER FOIL, and not Dutch Metal nor Bronze Powder, and are composed of the finest and most fragrant aromatics.

No deleterious effect need therefore be anticipated from their use.

They are considered superior to any other brand in the market, either foreign or domestic.

List of Prices.

Per Gross in Patent, Metal
Slide Boxes, \$6.00
Per Gross in 2 oz. Blue Bottles, French Label, \$24.00
Per Pound, in Handsome
Glass Label and Stoppered
Bottles, \$1.75
Per Pound in bulk, \$1.25

AVOID INFERIOR IMITATIONS WHICH ARE OFFERED FOR REFILLING THESE BOTTLES.

Special quotations given for large quantities in bulk.

WARNER & CO.'S

Aromatic Cachous.

In oval bottles with nickeled screw caps.

Per dozen, 75 cts.

WILLIAM R. WARNER & CO.

Pharmaceutical Chemists,

PHILADELPHIA and NEW YORK.